

* = Included, — = Not Available, A = Available, CVT = Continuously Variable Transmission, 6MT = 6-speed manual

ENGINE/MOTOR	INTEGRA	A-SPEC®	A-SPEC® with TECHNOLOGY PACKAGE	TYPE S
Engine Type	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder
Displacement (l)	1.5	1.5	1.5	2.0
Power (horsepower @ rpm, SAE net)	200 @ 6000	200 @ 6000	200 @ 6000	320 @ 6500
Torque (lb-ft @ rpm, SAE net)	192 @ 1800-5000	192 @ 1800-5000	192 @ 1800-5000	310 @ 2600-4000
Compression Ratio	10.3:1	10.3:1	10.3:1	9.8:1
Valvetrain	16-valve, VTEC®	16-valve, VTEC®	16-valve, VTEC®	16-Valve, VTEC®
Fuel Delivery	Direct Injection (DI)	Direct Injection (DI)	Direct Injection (DI)	Direct Injection (DI)
Throttle Control	Drive-by-Wire™ throttle system	Drive-by-Wire™ throttle system	Drive-by-Wire™ throttle system	Drive-by-Wire™ throttle system
Idle Stop	•	•	•	•
CARB Emissions Rating³²	LEV3-SULEV30	LEV3-SULEV30	CVT: LEV3-SULEV30; 6MT: LEV3-ULEV50	LEV3-ULEV50
Tune-Up Interval³	100,000 +/- miles no scheduled tune-ups	100,000 +/- miles no scheduled tune-ups	100,000 +/- miles no scheduled tune-ups	100,000 +/- miles no scheduled tune-ups
DRIVETRAIN AND TRANSMISSION				
Front-Wheel Drive	•	•	•	•
Continuously Variable Transmission (LL-CVT) with Paddle Shifters	•	•	•	—
CVT Ratio Range	2.645-0.405	2.645-0.405	2.645-0.405	—
6-Speed Manual Transmission with Rev-Match Control	—	—	A	•
1st	—	—	3.643	3.625
2nd	—	—	2.080	2.115
3rd	—	—	1.361	1.529
4th	—	—	1.024	1.125
5th	—	—	0.830	0.911
6th	—	—	0.686	0.734
Reverse	1.859-1.265	1.859-1.265	CVT: 1.859-1.265; 6MT: 3.673	3.757
Final Drive	5.048	5.048	CVT: 5.048; 6MT: 4.353	3.842
Light Weight Single-Mass Flywheel	—	—	A	•
Helical Limited-Slip Differential	—	—	A	•
CHASSIS				
Integrated Dynamic System (IDS)	3-Mode Comfort/Normal/Sport	3-Mode Comfort/Normal/Sport	4-Mode Comfort/Normal/Sport/Individual	4-Mode Comfort/Sport/Sport+/Individual
Active Sound Control (ASC)	—	—	•	•
MacPherson-Strut Front Suspension	•	•	•	(with Dual Axis)
Multi-Link Rear Suspension	•	•	•	•
Stabilizer Bar Diameter – Front/Rear (mm)	27.0 x 4.5 (tubular) 17.5 (solid)	27.0 x 4.5 (tubular) 18.0 (solid)	27.0 x 4.5 (tubular) 18.0 (solid)	29.0 x 5.0 (tubular) 20.5 (solid)
Adaptive Damper System (ADS)	—	—	•	w/ Sensor
Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	(High Performance)
Steering Ratio	11.33:1	11.52:1	11.52:1	11.62:1
Turning Diameter – Curb to Curb (ft. [m])	38.1 (11.6)	38.1 (11.6)	38.1 (11.6)	39.7 (12.1)
BRAKES				
Vented Front/Solid Rear Disc Brakes (in. [mm])	12.3/11.1 (312/282)	12.3/11.1 (312/282)	12.3/11.1 (312/282)	13.8/12.0 (351/305)
4-Wheel Anti-Lock Braking System (ABS)	•	•	•	•
Electronic Parking Brake (EPB) with Automatic Brake Hold	•	•	•	•
Electronic Brake Distribution (EBD)	•	•	•	•
Brembo® 4-Piston Aluminum Front Brake Calipers	—	—	—	•
WHEELS AND TIRES				
17-Inch Aluminum-Alloy Wheels	•	—	—	—
18-Inch Shark Gray Aluminum-Alloy Wheels	—	•	•	—
19-inch Lightweight Aluminum-Alloy Wheels	—	—	—	•
P215/50 R17 91H High-Performance All-Season Tires	•	—	—	—
P235/40 R18 91W High-Performance All-Season Tires	—	•	•	—
P265/30ZR19 93Y High-Performance Summer Tires	—	—	—	•
EXTERIOR DIMENSIONS (in. [mm])				
Wheelbase	107.7 (2736)	107.7 (2736)	107.7 (2736)	107.7 (2736)
Track – Front/Rear	60.5/61.6 (1537/1565)	60.5/61.6 (1537/1565)	60.5/61.6 (1537/1565)	64.0/63.5 (1626/1613)
Length	185.8 (4719)	185.8 (4719)	185.8 (4719)	186.0 (4724)
Width	72 (1829)	72 (1829)	72 (1829)	74.8 (1900)
Height	55.5 (1410)	55.5 (1410)	55.5 (1410)	55.4 (1407)
Ground Clearance – Unladen	5.1 (130)	5.1 (130)	5.1 (130)	4.0 (102)

* = Included, — = Not Available, A = Available, CVT = Continuously Variable Transmission, 6MT = 6-speed manual

INTERIOR DIMENSIONS (in. [mm])	INTEGRA	A-SPEC®	A-SPEC® with TECHNOLOGY PACKAGE	TYPE S
Headroom – Front/Rear	37.6/36.4 (955/925)	37.6/36.4 (955/925)	37.6/36.4 (955/925)	37.6/36.4 (955/925)
Shoulder Room – Front/Rear	57.0/56.0 (1448/1422)	57.0/56.0 (1448/1422)	57.0/56.0 (1448/1422)	57.0/56.0 (1448/1422)
Hiproom – Front/Rear	54.3/48.9 (1379/1242)	54.3/48.9 (1379/1242)	54.3/48.9 (1379/1242)	54.3/48.9 (1379/1242)
Legroom – Front/Rear	42.3/37.4 (1074/950)	42.3/37.4 (1074/950)	42.3/37.4 (1074/950)	42.3/37.4 (1074/950)
CAPACITIES				
EPA Passenger Volume (cu. ft. [l])	95.8 (2713)	95.8 (2713)	95.8 (2713)	95.8 (2713)
EPA Cargo Volume (cu. ft. [l])	24.3 (618)	24.3 (618)	24.3 (618)	24.3 (618)
Fuel Tank Capacity (gal. [l])	12.4 (47)	12.4 (47)	12.4 (47)	12.4 (47)
CURB WEIGHTS				
Curb Weight	3084	3109	3150 (CVT) 3073 (6MT)	3,219
Weight Distribution – Front/Rear	61/39	61/39	61/39 (CVT) 60/40 (6MT)	62/38
FUEL				
EPA Fuel Economy Ratings – City/Highway/Combined (mpg) ⁸³	30/37/33	29/36/32	29/36/32 (CVT) 26/36/30 (6MT)	21/28/24
Recommended Fuel	Premium unleaded (91 octane)	Premium unleaded (91 octane)	Premium unleaded (91 octane)	Premium unleaded (93 octane)
EXTERIOR FEATURES				
Jewel Eye® LED Headlights	•	•	•	•
Chicane® LED Daytime Running Lights	•	•	•	•
Chicane LED Taillights	•	•	•	•
Auto High-Beam Headlights	•	•	•	•
LED Fog Lights	—	•	•	—
A-Spec® Exterior Sport Appearance Package	—	•	•	—
Type S Exterior Sport Appearance Package	—	—	—	•
Welcome Lights	—	—	•	•
Moonroof with Tilt and Slide Function	•	•	•	—
Heated Side Mirrors	•	•	•	•
LED Side Mirror-Integrated Directional Signals	—	—	•	•
Reverse Gear Tilt-Down	—	—	•	—
Capless Fuel Fill	•	•	•	•
SEATING AND INTERIOR TRIM FEATURES				
Leatherette-Trimmed Front Seats	•	•	—	—
Microsuede-Trimmed Front Seats with Exclusive Stitch	—	—	•	—
Perforated Ultrasuede®-Trimmed Front Seats w/ Type S Embossed Headrest	—	—	—	•
Two-Position Driver's Seat Memory	—	—	•	—
Front 8-Way Power Driver's Seat	•	•	•	—
12-Way Power Driver's Seat with Power Lumbar Support	—	—	•	•
4-Way Power Front Passenger's Seat	•	—	•	—
Heated Front Seats	•	•	•	•
60/40 Split Fold-Down Rear Seatback	•	•	•	•
Leather-Wrapped Steering Wheel	•	•	•	•
A-Spec® Interior Sport Appearance Package	—	•	•	—
Type S Interior Sport Appearance Package	—	—	—	•
Silver Painted Trim	•	—	—	—
Dark Metal Film Trim	—	•	•	•
COMFORT AND CONVENIENCE FEATURES				
Dual Automatic Climate Control	—	—	•	•
Tilt and Telescopic Steering Column	•	•	•	•
Steering Wheel-Mounted Controls	•	•	•	•
Ambient LED Cabin Lighting	•	•	•	•
Ambient LED Door Accent	—	—	•	•
Smart Entry with Walk Away Auto Lock® (Front Door and Tailgate)	•	•	•	•
Keyless Access System	•	•	—	•
Keyless Access System with Acura Personalized Settings	—	—	•	—
Pushbutton Ignition	•	•	•	•
Key Fob Activated Remote Engine Start with Vehicle Feedback	—	—	*, — (6MT)	—
12-Volt Power Outlet (Front Center Console)	•	•	•	•

* = Included, — = Not Available, A = Available, CVT = Continuously Variable Transmission, 6MT = 6-speed manual

AUDIO AND CONNECTIVITY FEATURES	INTEGRA	A-SPEC®	A-SPEC® with TECHNOLOGY PACKAGE	TYPE S
7-Inch Touchscreen Display	•	•	—	—
9-Inch Touchscreen Display	—	—	•	•
10.2-Inch Digital Instrument Cluster	•	•	•	•
5.3-Inch Head-Up Display (HUD)	—	—	•	•
Acura Premium Audio System with 8 Speakers	•	•	—	—
ELS Studio 3D ^{®20} Premium Audio System with 16 Speakers	—	—	•	•
SiriusXM [®] Satellite Radio ⁴	—	—	•	•
HD Radio ^{®58}	—	—	•	•
Bluetooth [®] Streaming Audio ⁹	•	•	•	•
USB-A 2.5A (1) Front Seats	•	•	•	•
USB-C 3A Charge Only (1) Front Seats	—	—	•	•
USB-A Charge Only (2) Rear Seats	—	—	•	—
Wireless Charging Pad (Qi)	—	—	•	•
Apple CarPlay ^{®49} and Android Auto ^{™50} Compatibility	•	•	•	•
Wireless Apple CarPlay ^{®49} and Android Auto ^{™50}	—	—	•	•
Siri [®] Eyes Free ⁴⁸	•	•	•	•
Bluetooth ^{®49} HandsFreeLink [®] Wireless Telephone Interface	•	•	•	•
Wi-Fi Hotspot Capability ⁶⁴	—	—	•	—
AcuraLink [®] Connected Services ⁴⁰	—	—	•	•
Alexa Built-In	—	—	•	—
SAFETY, DRIVER-ASSIST AND SECURITY FEATURES				
Collision Mitigation Braking System (CMBS) ³⁹	•	•	•	•
Adaptive Cruise Control (ACC) ³⁴	•	•	•	•
Adaptive Cruise Control (ACC) with Low-Speed Follow ⁷³	•	•	*, Low-Speed Follow - (6MT)	—
Lane Keeping Assist System (LKAS) ³⁸	•	•	•	•
Road Departure Mitigation System (RDM) ⁵²	•	•	•	•
Traffic Jam Assist	•	•	*, — (6MT)	—
Traffic Sign Recognition (TSR) ⁶⁷	•	•	•	•
Forward Collision Warning (FCW) ³⁶	•	•	•	•
Lane Departure Warning (LDW) ³⁷	•	•	•	•
Pedestrian Detection ⁷¹	•	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•	•
Advanced Front Airbags (SRS) ²⁶	•	•	•	•
Advanced Front Side Airbags ²⁶	•	•	•	•
Advanced Front Knee Airbags ²⁶	•	•	•	•
Side Curtain Airbags ²⁶	•	•	•	•
Rear Outboard Passenger's Side Airbags ²⁶	•	•	•	•
Seat-Belt Reminder for all Seating Positions	•	•	•	•
Rear Seat Reminder (RSR)	•	•	•	•
Vehicle Stability Assist [®] (VSA [®]) with Traction Control ¹⁰	•	•	•	•
Anti-Lock Braking System (ABS)	•	•	•	•
Electronic Brake Distribution (EBD)	•	•	•	•
Brake Assist ⁵¹	•	•	•	•
Tire Pressure Monitoring System (TPMS) with Tire Fill Assist and Location and Pressure Indicators	•	•	•	•
Multi-View Rear Camera ³³ with Dynamic Guidelines	•	•	•	•
Automatic-Dimming Frameless Rearview Mirror	•	•	•	•
Blind Spot Information System (BSI) ¹⁶	•	•	•	•
Rear Cross Traffic Monitor (CTM) ⁷⁷	•	•	•	•
Low-Speed Braking Control ⁸⁹	—	—	•	•
Parking Sensors (Front and Rear)	—	—	•	•
Rain-Sensing Windshield Wipers	—	—	•	•
Auto-On/Off Headlight Operation with Wiper Integration	•	•	•	•
Auto High-Beam Headlights	•	•	•	•
Tire Sealant and Inflator Kit	•	•	•	•

DISCLAIMERS

3. Does not apply to fluid and filter changes or periodic inspections. Please refer to the maintenance section of your *Owner's Manual* to determine all appropriate maintenance intervals.
4. SiriusXM Satellite Radio, NavTraffic subscriptions sold separately or as a package after trial period. If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call 1-866-635-2349 to cancel. See SiriusXM Customer Agreement for complete terms at siriusxm.com. Other fees and taxes will apply. All fees and programming subject to change. Not all vehicles are capable of receiving all services offered by SiriusXM. Current information and features may not be available in all locations, or on all receivers. SiriusXM is not responsible for any errors or inaccuracies in the NavTraffic service or their use in the vehicle. XM satellite service is available only to those at least 18 years of age in the 48 contiguous USA and DC. SiriusXM Internet Radio service is available throughout our satellite service area and in AK, HI and PR. © 2023 Sirius XM Radio Inc. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.
9. The *Bluetooth*® word mark and logos are owned by the *Bluetooth SIG, Inc.*, and any use of such marks by Honda Motor Co., Ltd., is under license.
10. VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
13. When installed at the time of new-vehicle delivery.
14. See your local dealer for details about Total Luxury Care® (TLC) Roadside Assistance, and Concierge Service.
16. The system is not a substitute for your own visual assessment before changing lanes; system accuracy will vary based on weather, size of object and speed.
20. ELS Studio® is a registered trademark of Panasonic Corporation of North America. All rights reserved.
26. Acura reminds you and your passengers to always buckle up. Children 12 and under are safest when properly restrained in the rear seat.
32. AT-PZEV (Advanced Technology Partial Zero-Emission Vehicle) models as certified by the California Air Resources Board (CARB) are available in California and states that have adopted California Zero-Emission Vehicle regulations. Models in non-CARB states are ULEV-2 (Ultra-Low-Emission Vehicle) certified by the California Air Resources Board (CARB).
33. Always visually confirm that it is safe to drive before backing up, as the rearview camera and Rear Cross Traffic Monitor may not provide complete information about conditions at the rear of your vehicle.
34. Adaptive Cruise Control (ACC) with low-speed follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. The driver remains responsible for avoiding a collision.
36. FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
37. LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
38. LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
39. Depending on the circumstances, CMBS may not go through all of the alert stages before initiating the last stage of collision mitigation. CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by high interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
40. Many Acuralink features are free of charge. Live call safety & security and mobile interactive features require a subscription. Live concierge requires a separate subscription. Subscriptions available for free three-month trial
48. Always remain attentive when driving. Certain functions are disabled or inoperable while the vehicle is in motion. Only operate the system when conditions permit you to safely do so. Avoid focusing on the device display or manually operating the system controls while driving. State or local laws may prohibit the operation of handheld electronic devices while operating a vehicle. iPhone and Siri are trademarks of Apple Inc.
49. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy for details regarding Apple's use and handling of data uploaded by CarPlay. Use of CarPlay is at user's own risk, and is subject to agreement to the CarPlay terms of use, which are included as part of the Apple iOS terms of use. CarPlay vehicle integration is provided "as is," and Acura cannot guarantee CarPlay operability or functionality now or in the future due to, among other conditions, changes in CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details.
50. To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is," and Acura cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Only use Android Auto when conditions allow you to do so safely. Google, Google Play and Android Auto are trademarks of Google LLC.
51. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see the *Owner's Manual* for details.
52. Road Departure Mitigation may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road conditions. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
58. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
64. Requires AT&T data plan. Learn more about available data plans here: [<https://myvehicle.att.com/#/acura/learn?country=US&language=en>]. Coverage and service not available everywhere. Fees, terms and restrictions apply.
67. TSR cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for complying with all traffic regulations.
69. Low-Speed Braking Control may not detect all objects in front of or behind the vehicle. Accuracy will vary based on weather, speed and other factors. Driver remains responsible for safely operating vehicle and avoiding collisions.

INTEGRA 2025 SPECIFICATIONS AND FEATURES

71. CMBS with Pedestrian Detection cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. System designed to mitigate crash forces. Driver remains responsible for safely operating vehicle and avoiding collisions.
73. Lane Keeping Assist System (LKAS) and Traffic Jam Assist (TJA) only assist driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. The system may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
77. The Rear Cross Traffic Monitor is not a substitute for your own visual assessment before backing up; system accuracy will vary based on weather, size of object, and speed. Driver remains responsible for safely operating vehicle and avoiding collisions.
82. Acura Maintenance Program covers certain factory-scheduled maintenance on select eligible vehicles for two years or 24,000 miles, whichever comes first. Certain models may require different maintenance schedules as recommended by the vehicle's Maintenance Minder system and described in the vehicle's Owner's Manual. See an Acura Dealer for vehicle eligibility, coverage details and exclusions. Valid only in the United States of America.
83. Based on 2025 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary, depending on how you drive and maintain your vehicle, driving conditions, battery-pack age/condition (hybrid only) and other factors.