 Included, — = Not Available, A = Dealer Installed Acc ENGINE/MOTOR 	MDX	Tashnalam	A 5mm	Advance	A-Spec Advance	Turne S Adverner
		Technology Aluminum-Alloy V6	A-Spec Aluminum-Alloy V6	Advance Aluminum-Alloy V6		Type S Advance
Engine Type	Aluminum-Alloy V6	Aluminum-Alloy Vo	Aluminum-Alloy Vo	Aluminum-Alloy Vo	Aluminum-Alloy V6	Turbo Aluminum-Alloy V6
Turbo Type						Twin-Scroll
Displacement (liters)	3.5	3.5	3.5	3.5	3.5	3.0
Horsepower (SAE net @ rpm)	290 @ 6,200	290 @ 6,200	290 @ 6,200	290 @ 6,200	290 @ 6,200	355 @ 5,500
Torque (lbft. @ rpm)	267 @ 4,700	267 @ 4,700	267 @ 4,700	267 @ 4,700	267 @ 4,700	354 @ 1,400-5,000
Valvetrain	24-Valve, SOHC i-VTEC	24-Valve, DOHC				
Variable Cylinder Management™ (VCM®)	•	•	•	•	•	•
Compression Ratio	11.5:1	11.5:1	11.5:1	11.5:1	11.5:1	9.8:1
Fuel Injection	Direct	Direct	Direct	Direct	Direct	Direct
Throttle Control	Drive-by-Wire Throttle System					
Idle Stop	•	•	•	•	•	•
CARB Emissions Rating ⁶⁵	ULEV70	ULEV70	ULEV70	ULEV70	ULEV70	ULEV70
Tune-Up Interval	100k +/- Miles No Scheduled Tune-Ups					
DRIVETRAIN						
Front-Wheel Drive	•	•	-	-	-	-
Super Handling All-Wheel Drive™ (SH-AWD®)	•	•	•	•	•	•
10-Speed Automatic Transmission	•	•	•	•	•	•
Sequential SportShift Paddle Shifters	•	•	•	•	•	•
Gear Ratios:						
1st	5.25	5.25	5.25	5.25	5.25	5.25
2nd	3.27	3.27	3.27	3.27	3.27	3.27
3rd	2.19	2.19	2.19	2.19	2.19	2.19
4th	1.60	1.60	1.60	1.60	1.60	1.60
5th	1.30	1.30	1.30	1.30	1.30	1.30
6th	1.00	1.00	1.00	1.00	1.00	1.00
7th	0.78	0.78	0.78	0.78	0.78	0.78
8th	0.65	0.65	0.65	0.65	0.65	0.65
9th	0.58	0.58	0.58	0.58	0.58	0.58
10th	0.52	0.52	0.52	0.52	0.52	0.52
Reverse	3.97	3.97	3.97	3.97	3.97	3.97
Final Drive	4.17	4.17	4.17	4.17	4.17	4.17
Max Towing Capacity (lbs.) - FWD	3,500	3,500	3,500	3,500	3,500	3,500
Max Towing Capacity (lbs.) - SH-AWD	5,000	5,000	5,000	5,000	5,000	5,000
FUEL ECONOMY						
EPA Fuel Economy Ratings (city/highway/combined) - 2WD ⁹⁸	TBD	TBD	_	_	_	_
EPA Fuel Economy Ratings (city/highway/combined) - SH-AWD ⁹⁸	TBD	TBD	TBD	TBD	TBD	TBD
Recommended Fuel	Premium Unleaded 91 Octane					
Fuel Tank Capacity (U.S. gallons) CHASSIS	18.5	18.5	18.5	18.5	18.5	18.5
Double-Wishbone Front Suspension	•	•	•	•	•	•
Multi-Link Rear Suspension	•	•	•	•	•	•
Stabilizer Bar (front)	31.8 x 5.0	31.8 x 5.0	31.8 x 5.0			30.5 Solid
Stabilizer Bar (mm) (rear)	21.7 x 3.5 (FWD) 21.7 x 4.0 (SH-AWD)	21.7 x 3.5 (FWD) 21.7 x 4.0 (SH-AWD)	21.7 x 4.0	31.8 x 5.0 21.7 x 4.0	31.8 x 5.0 21.7 x 4.0	20.0 x 3.5
Amplitude Reactive Dampers	•	•	•	•	•	_
Adaptive Air Suspension with Auto Leveling	_	_	_	_	_	•
Belt-Driven Variable-Ratio Electric Power Steering (EPS)	•	•	•	•	•	•
Integrated Dynamics System (IDS) with Individual Mode	•	•	٠	٠	٠	٠
Agile Handling Assist [®]	•	•	•	•	•	•
Active Exhaust Valve	_	_	_	_	—	•
iBooster Brake System	•	•	•	•	•	_
Electro-Servo Brake (ESB) System	_	_	-	_	_	•
Brembo [®] Front 4-Piston Braking System ⁹²	-	—	-	—	—	٠
Ventilated Front Disc / Solid Rear Disc Brakes (in.)	13.8 / 13.0	13.8 / 13.0	13.8 / 13.0	13.8 / 13.0	13.8 / 13.0	14.3 / 13.0
Aluminum-Alloy Wheels	19 x 8.5J	20 x 9.0J	20 x 9.0J	20 x 9.0J	20 x 9.0J	21 x 9.5J
Tires	255/55 R19	255/50 R20	255/50 R20	255/50 R20	255/50 R20	275/40 R21
Self-Sealing Tire	_	_	_	_	_	•




CHASSIS (CONTINUED)	MDX	Technology	A-Spec	Advance	A-Spec Advance	Type S Advance
īre Repair Kit	(FWD)	(FWD)				A
Spare Tire T155/85D18	•	•	•	•		
•	(SH-AWD)	(SH-AWD)			•	
teering Ratio (variable)	14.6 : 1	14.6 : 1	14.6 : 1	14.6 : 1	14.6 : 1	14.6 : 1
urning Diameter, Curb to Curb (ft.)	40.5	40.5	40.5	40.5	40.5	40.5
	109.4	109.4	109.4	109.4	109.4	109.4
ength (in.)	198.4 78.7	198.4 78.7	198.4 78.7	198.4 78.7	198.4 78.7	198.4 78.7
Vidth (in.)	67.1	67.1	67.1	67.1	67.1	67.1
leight (in.) Vheelbase (in.)	113.8	113.8	113.8	113.8	113.8	113.8
	67.7 / 67.7	67.7 / 67.7	67.7 / 67.7	67.7 / 67.7	67.7 / 67.7	67.7 / 67.7
rack (in.) (front/rear) Ground Clearance (in.) (unladen)	7.3	7.3	7.3	7.3	7.3	6.7 - 9.4
NTERIOR	1.5	1.5	1.5	1.5	1.5	0.7 - 9.4
Headroom (in.) (first row / second row / third row)	38.5 / 38.1 / 36.2	38.5 / 38.1 / 36.2	38.5 / 38.1 / 36.2	38.5 / 38.1 / 36.2	38.5 / 38.1 / 36.2	38.5 / 38.1 / 36.2
egroom (in.) (first row / second row / third row)	41.6 / 38.5 / 29.1	41.6 / 38.5 / 29.1	41.6 / 38.5 / 29.1	41.6 / 38.5 / 29.1	41.6 / 38.5 / 29.1	41.6 / 38.5 / 29.1
boulder Room (in.) (first row / second row /						
nird row)	61.9 / 60.3 / 55.2	61.9 / 60.3 / 55.2	61.9 / 60.3 / 55.2	61.9 / 60.3 / 55.2	61.9 / 60.3 / 55.2	61.9 / 60.3 / 55.2
liproom (in.) (first row / second row / third row)	59.3 / 57.8 / 40.6	59.3 / 57.8 / 40.6	59.3 / 57.8 / 40.6	59.3 / 57.8 / 40.6	59.3 / 57.8 / 40.6	59.3 / 57.8 / 40.6
PA Passenger Volume (cu ft.)	139.1	139.1	139.1	139.1	139.1	139.1
Cargo Volume (cu ft.)* - Behind Third Row, Standard / Max ³⁰	16.3 / 18.1	16.3 / 18.1	16.3 / 18.1	16.3 / 18.1	16.3 / 18.1	16.3 / 18.1
Cargo Volume (cu ft.)* - Behind Second Row, Standard / Max ³⁰	39.1 / 48.4	39.1 / 48.4	39.1 / 48.4	39.1 / 48.4	39.1 / 48.4	39.1 / 48.4
Cargo Volume (cu ft.)* - Behind First Row, Standard / Max ³⁰	71.4 / 95.0	71.4 / 95.0	71.4 / 95.0	71.4 / 95.0	71.4 / 95.0	71.4 / 95.0
				* Ba	sed on SAE J1100 cargo volu	ime measurement stand
VEIGHT						
Curb Weight (lbs.) - FWD	TBD	TBD	_			
'urb Woight (lbc) - SH-AWD		TBD	TBD	TBD	TBD	TBD
	TBD					
Curb Weight (Ibs.) - SH-AWD Neight Distribution (%) (front/rear); FWD	60 / 40	60 / 40	_	_	_	-
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD			 58 / 42	 58 / 42	 58 / 42	 58 / 42
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES	60 / 40	60 / 40				 58 / 42
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY	60 / 40	60 / 40				
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) vith Advanced Pedestrian Detection ³⁹	60 / 40	60 / 40 58 / 42				
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) vith Advanced Pedestrian Detection ³⁰ Forward Collision Warning (FCW) System ³⁶	60 / 40 58 / 42	60 / 40 58 / 42	•	•	•	•
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ .ane Departure Warning (LDW) System ³⁷	60 / 40 58 / 42	60 / 40 58 / 42 •	• • •	•	• • •	•
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System [™] (CMBS [™]) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ ane Departure Warning (LDW) System ³⁷ ane Keeping Assist System (LKAS) ³⁸	60 / 40 58 / 42 • • •	60 / 40 58 / 42 • • •	• • • • • •	• • • •	• • • •	• • •
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ ane Departure Warning (LDW) System ³⁷ ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸	60 / 40 58 / 42 • • • • •	60 / 40 58 / 42 • • • • •	· · · · · · · · · · · ·	• • • • •	• • • • •	•
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ ane Departure Warning (LDW) System ³⁷ ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction	60 / 40 58 / 42 • • •	60 / 40 58 / 42 • • •	• • • • • •	• • • •	• • • •	• • • •
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System³6 .ane Departure Warning (LDW) System³7 .ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	60 / 40 58 / 42 • • • • •	• • • • • • •	• • • • • •	• • • • •	• • • • • •
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ .ane Departure Warning (LDW) System ³⁷ .ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist system (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵²	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	• • • • • •
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁰ Forward Collision Warning (FCW) System ³⁶ Lane Departure Warning (LDW) System ³⁷ Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed Follow ⁷²	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	• • • • • •
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁷ convard Collision Warning (FCW) System ³⁷ ane Departure Warning (LDW) System ³⁷ ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed follow ⁷²	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	• • • • • •
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ conward Collision Warning (FCW) System ³⁷ cane Departure Warning (LDW) System ³⁷ cane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Expeed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed Collow ⁷² Active Lane Change Assist	60 / 40 58 / 42 • • • • • • • •	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD FEATURES CCURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ cane Departure Warning (LDW) System ³⁷ cane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Active Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed follow ⁷² Active Lane Change Assist cane Change Collision Mitigation raffic Sign Recognition (TSR) ⁵⁷	60 / 40 58 / 42 • • • • • • • • • • • • •	60 / 40 58 / 42 • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD FEATURES CCURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ cane Departure Warning (LDW) System ³⁷ cane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Active Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed collow ⁷² Active Lane Change Assist cane Change Collision Mitigation raffic Sign Recognition (TSR) ⁶⁷ raffic Jam Assist ⁷³	60 / 40 58 / 42 • • • • • • • • • • •	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES CCURAWATCH™ TECHNOLOGY Oillision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ forward Collision Warning (FCW) System ³⁶ ane Departure Warning (LDW) System ³⁷ ane Keeping Assist System (LKAS) ³⁸ active Lane Keeping Assist System (LKAS) ³⁸ active Lane Keeping Assist System (LKAS) ³⁸ active Steering Warning and Departure Mitigation (RDM) System ⁵² adaptive Cruise Control (ACC) with Low-Speed follow ⁷² active Lane Change Assist ane Change Collision Mitigation raffic Sign Recognition (TSR) ⁶⁷ raffic Jam Assist ⁷³ Bind Spot Information System (BSI) ¹⁶	60 / 40 58 / 42 • • • • - • • • • • • • • •	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁷ ane Departure Warning (LDW) System ³⁷ ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed follow ⁷² Active Lane Change Assist ane Change Collision Mitigation Traffic Sign Recognition (TSR) ⁶⁷ Traffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES CURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) oith Advanced Pedestrian Detection ³⁰ forward Collision Warning (FCW) System ³⁵ corward Collision Warning (FCW) System ³⁷ cane Departure Warning (LDW) System ³⁷ cane Keeping Assist System (LKAS) ³⁸ totive Lane Keeping Assist System (LKAS) ³⁸ corver Steering Warning Road Departure Mitigation (RDM) System ⁵² dadptive Cruise Control (ACC) with Low-Speed collow ⁷² totive Lane Change Assist cane Change Collision Mitigation raffic Sign Recognition (TSR) ⁶⁷ raffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ blind Spot Information System (BSI) with Steering woidance ¹⁶	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) ofth Advanced Pedestrian Detection ³⁹ forward Collision Warning (FCW) System ³⁶ cane Departure Warning (LDW) System ³⁷ cane Keeping Assist System (LKAS) ³⁸ totive Lane Keeping Assist System (LKAS) ³⁸ speed Reduction Assist with Curve Prediction vasive Steering Warning Road Departure Mitigation (RDM) System ⁵² datptive Cruise Control (ACC) with Low-Speed ollow ⁷² totive Lane Change Assist ane Change Collision Mitigation raffic Sign Recognition (TSR) ⁶⁷ raffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) with Steering woidance ¹⁶	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES ACURAWATCH™ TECHNOLOGY Ollision Mitigation Braking System [™] (CMBS [™]) ith Advanced Pedestrian Detection ³⁹ forward Collision Warning (FCW) System ³⁶ cane Departure Warning (LDW) System ³⁷ cane Keeping Assist System (LKAS) ³⁸ totive Lane Keeping Assist System (LKAS) ³⁸ speed Reduction Assist with Curve Prediction vasive Steering Warning koad Departure Mitigation (RDM) System ⁵² daptive Cruise Control (ACC) with Low-Speed ollow ⁷² totive Lane Change Assist ane Change Collision Mitigation raffic Sign Recognition (TSR) ⁹⁷ raffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) with Steering woidance ¹⁶	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD EATURES ACURAWATCH™ TECHNOLOGY Oillision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ forward Collision Warning (FCW) System ³⁶ cane Departure Warning (LDW) System ³⁷ cane Keeping Assist System (LKAS) ³⁸ totive Lane Keeping Assist System (LKAS) ³⁸ speed Reduction Assist with Curve Prediction Evasive Steering Warning Koad Departure Mitigation (RDM) System ⁵² daptive Cruise Control (ACC) with Low-Speed follow ⁷² totive Lane Change Assist ane Change Collision Mitigation raffic Sign Recognition (TSR) ⁹⁷ raffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) with Steering woidance ¹⁶ lear Cross Traffic Alert ow Speed Braking Control	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ Lane Departure Warning (LDW) System ³⁷ Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed ollow ⁷² Active Lane Change Assist Lane Change Collision Mitigation Traffic Sign Recognition (TSR) ⁹⁷ Traffic Jam Assist ⁷³ Blind Spot Information System (BSI) with Steering Voidance ¹⁶ Rear Cross Traffic Monitor (CTM) Front Cross Traffic Alert .ow Speed Braking Control Auto High-Beam Headlights	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Veight Distribution (%) (front/rear); FWD Veight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ corward Collision Warning (FCW) System ³⁷ cane Departure Warning (LDW) System ³⁷ cane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed collow ⁷² Active Lane Change Assist cane Change Collision Mitigation Traffic Sign Recognition (TSR) ⁶⁷ Traffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) with Steering Voidance ¹⁶ Rear Cross Traffic Alert cow Speed Braking Control Auto High-Beam Headlights Parking Sensors (4 front & 4 rear)	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁰ Forward Collision Warning (FCW) System ³⁷ .ane Departure Warning (LDW) System ³⁷ .ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed Ollow ⁷² Active Lane Change Assist .ane Change Collision Mitigation Traffic Sign Recognition (TSR) ⁶⁷ Traffic Sign Recognition (TSR) ⁶⁷ Traffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) ¹⁶ Silind Spot Information System (BSI) ¹⁶ Active	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁰ Forward Collision Warning (FCW) System ³⁷ .ane Departure Warning (LDW) System ³⁷ .ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed Ollow ⁷² Active Lane Change Assist .ane Change Collision Mitigation Traffic Sign Recognition (TSR) ⁶⁷ Traffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) with Steering Avoidance ¹⁶ Rear Cross Traffic Alert .ow Speed Braking Control Auto High-Beam Headlights Parking Sensors (4 front & 4 rear) SAFETY & DRIVER ASSISTIVE TECHNOLOGY Vext-Generation Advanced Compatibility engineering TM (ACE TM) Body Structure Lower Anchors and Tethers for CHild Seat (LATCH) <td>60 / 40 58 / 42</td> <td>60 / 40 58 / 42</td> <td>· · · · · · · · · · · · · · · · · · ·</td> <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td> <td></td>	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁵ .ane Departure Warning (LDW) System ³⁷ .ane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed Collow ⁷² Active Lane Change Assist .ane Change Collision Mitigation Traffic Sign Recognition (TSR) ⁶⁷ Traffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) with Steering Avoidance ¹⁶ Rear Cross Traffic Alert Low Speed Braking Control Auto High-Beam Headlights Parking Sensors (4 front & 4 rear) SAFETY & DRIVER ASSISTIVE TECHNOLOGY Vext-Generation Advanced Compatibility Engineering TM (ACE TM) Body Structure	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
Weight Distribution (%) (front/rear); FWD Weight Distribution (%) (front/rear); SH-AWD FEATURES ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection ³⁹ Forward Collision Warning (FCW) System ³⁶ Lane Departure Warning (LDW) System ³⁷ Lane Keeping Assist System (LKAS) ³⁸ Active Lane Keeping Assist System (LKAS) ³⁸ Speed Reduction Assist with Curve Prediction Evasive Steering Warning Road Departure Mitigation (RDM) System ⁵² Adaptive Cruise Control (ACC) with Low-Speed Collw ⁷² Active Lane Change Assist Lane Change Collision Mitigation Traffic Sign Recognition (TSR) ⁶⁷ Traffic Jam Assist ⁷³ Blind Spot Information System (BSI) ¹⁶ Blind Spot Information System (BSI) with Steering Avoidance ¹⁶ Rear Cross Traffic Alert Low Speed Braking Control Auto High-Beam Headlights Parking Sensors (4 front & 4 rear) SAFETY & DRIVER ASSISTIVE TECHNOLOGY Vext-Generation Advanced Compatibility Engineering ¹⁰ (ACE ¹⁰) Body Structure Lower Anchors and Tethers for CHild Seat (LATCH) Dual-Stage, Multiple-Thres	60 / 40 58 / 42	60 / 40 58 / 42	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		



SAFETY & DRIVER ASSISTIVE TECHNOLOGY						
(CONTINUED)	MDX	Technology	A-Spec	Advance	A-Spec Advance	Type S Advance
Side Curtain Airbags	•	•	•	•	•	•
Front Knee Airbags	•	•	•	٠	٠	•
lead-Up Warning Display (HUW)		_	_	•	•	•
Iulti-View Rear Camera with Dynamic Guidelines ³³	٠	•	٠	•	٠	•
/ehicle Stability Assist™ (VSA®) with Traction control¹⁰	•	•	•	•	•	•
-Wheel Anti-Lock Braking System (ABS)	•	•	•	•	•	•
lectronic Brake Distribution (EBD)	•	•	•	•	•	•
brake Assist	٠	•	•	•	•	•
ire Pressure Monitoring System (TPMS) with Tire ill Assist and Location and Pressure Indicators ⁵¹	•	•	•	•	•	•
heft-Deterrent System with Electronic Immobilizer	•	•	•	•	•	•
laintenance Minder™ System	•	٠	•	•	•	•
cura Maintenance Program 1yr / 12k miles	•	•	•	•	•	•
RIVER CONVENIENCE						
ill Start Assist	•	•	•	•	•	•
lectric Parking Brake with Automatic Brake Hold	•	•	•	•	•	•
ruise Control	•	•	•	•	•	•
ear Camera Washer	•	•	•	•	•	•
urround-View Camera System	_	_	_	•	•	•
uto-On/Off Headlight Operation with Wiper	•	•	•	•	•	
ain-Sensing Windshield Wipers	_	•	•	•	•	•
leated Side Mirrors with Reverse Gear Tilt-Down	•	•	•	•	•	•
omeLink®	•	•	•	•	•	•
abinTalk [®]	•	•	•	•	•	•
ompass	•	•	•	•	•	•
UDIO & CONNECTIVITY						
2.3-Inch HD Dual-Content Touchscreen Center			•			
isplay 2.3-Inch HD Precision Cockpit™ Digital	•	•	•	•	•	•
2.3-Inch HD Precision Cockpit™ Digital Istrument Cluster	•	•		•	•	•
0.5-Inch Head-Up Display (HUD)	_	_	_	•	٠	•
ey Fob Activated Remote Engine Start with ehicle Feedback	А	•	•	•	•	•
Vi-Fi Hotspot Capability⁵⁴	•	•	•	•	•	•
cura Navigation System with 3D View	_	•	•	•	•	•
curaLink [®] Connected Services ⁴⁰	•	•	•	•	•	•
curaLink [®] Security & Remote Services (3yrs) ⁴⁰	•	•	•	•	•	•
latural Language Voice Recognition	•	•	•	•	•	•
Vireless Apple CarPlay [®] Compatibility ⁴⁹	٠	•	•	•	•	•
/ireless Android Auto™ Compatibility⁵⁰	•	•	•	•	•	•
العدة Built-In Google Built-In [®] (includes 3-years Unlimited Data	•	•	•	•	•	•
lan for in-vehicle apps)	•	•	•	•	•	•
iterface ⁹	•	•	•	•	•	•
Eluetooth® Streaming Audio	•	•	•	•	•	•
acura Premium Audio System with 11 Speakers ang & Olufsen Premium Sound System with	•	-	-	-		
9 Speakers ang & Olufsen Premium Sound System with		•		•		-
1 Speakers D Radio ⁸⁵⁸	•	-	•	-	•	•
SB Audio Interface with Charging Port, Center onsole 2.5A (1) ⁷	•	•	•	•	•	•
harging Ports, 1st-Row USB-A 2.5A (1), USB-C	•	•	•	•	•	•
.0A (1) Charging Ports, 2nd-Row: USB-C 3.0A (2)	•	•	•	•	•	•
harging Ports, 3rd-Row: USB-C 3.0A, USB-A	_		_	•	•	•
.5A (2) peed-Sensitive Volume Compensation (SVC)		•	•	•	•	•
	-	•	•	•	•	•
/ireless Charging Pad (Qi) ⁹³	•					
2-Volt Power Outlet (front and 2nd-row)	•	•	•	•	•	•
2-Volt Power Outlet (cargo)	•	•	•	•	•	•



NTERIOR	MDX	Technology	A-Spec	Advance	A-Spec Advance	Type S Advance
Tri-Zone Automatic Climate Control with Humidity Control and Air Filtration	•	•	•	•	•	•
GPS-Linked Climate Control		•	•	•	•	•
Keyless Access System with Acura Personalized			•			•
Settings		•			•	
Pushbutton Ignition	•	•	•	•	•	•
Electronic Gear Selector Power Windows with Auto-Up/Down, Auto-	•	•	•	•	•	•
Reverse, Soft Close	•	•	•	•	•	•
Sport Seats with Leatherette-Trimmed Interior	•	—	-	—	—	_
Sport Seats with Perforated Milano Premium _eather-Trimmed Interior with Contrast Stitching	—	•	—	_	_	—
Sport Seats with Perforated Milano Premium Leather and Ultrasuede® with Contrast Stitching	_	_	•	_	_	_
and Piping Sport Seats with Quilted and Perforated Vilano Premium Leather with Contrast Stitching and Piping	_	_	_	•		_
Sport Seats with Quilted and Perforated Milano Premium Leather and Ultrasuede® with Contrast	_	_	_			•
Stitching and Piping Front 12-Way Power Seats with Power Lumbar Support	•	•	•	_	_	•
Front 16-Way Power Seats with Power Lumbar, Fhigh Extension, Side Bolsters & 9-Way Massage 	_	_	_	•	•	•
Heated Front Seats	•	•	•	•	•	•
/entilated Front Seats	_	_	•	•	•	•
Three-Position Driver Seat Memory	•	•	•	•	•	•
Three-Position Front Passenger Seat Memory	_	•	•	•	•	•
leated Rear Seats (outboard positions)	—	_	-	•	•	•
2nd-Row 4-Way Manual Seats	•	•	•	•	•	•
Iulti-function 2nd-Row with Removable Middle	•	•	•	•	•	•
nd-Row Side Sunshades (manual)	_	•	٠	•	•	•
rd-Row Access with One-Touch Smart	•	•	•	•	•	•
rd-Row Seats with 50/50 Split	•	•	•	•	•	•
Power Tilt and Telescopic Steering Column	•	•	•	•	•	•
eather-Wrapped Steering Wheel	•	•	_	•	•	_
eather-Wrapped, Flat-bottom Sport Steering	_	_	•	_	•	•
Vheel	A	A	A	•	•	•
Heated Steering Wheel Steering Wheel-Mounted Controls	•	•	•	•	•	•
Hidden Cargo Storage with Reversible Smart Lid	•	•	•	•	•	•
A-Spec Interior Sport Appearance Package	_	_	•	_	•	_
Type S Interior Sport Appearance Package	_	_	_	_	_	•
Ebony Headliner	_	_	•	_	•	•
Stainless Steel Sport Pedals	_	_	•	_	•	•
Active Sound Control	•	•	•	•	٠	٠
ED Task Light - Front Ceiling/Inner Glove Box/ nner Console Box	•	•	•	•	•	•
Ambient LED Cabin Lighting - Door Handle, 1st- Row Foot Well	•	_	_	_	_	_
conic Drive™ Ambient LED Cabin Lighting (27 Color Themes)- Door Accent (upper, door handle), Ist-Row Foot Well	_	•	•	_	_	•
conic Drive™ Ambient LED Cabin Lighting (27 Color Themes)- Door Accent (upper and lower, Ioor handle), 1st-Row foot well, Instrument Panel, console & door pocket.	_	_	_	•		•
Automatic Dimming Frameless Rearview Mirror	•	•	•	•	•	•
Retained Accessory Power for Windows and	•	•	•	•	•	•
NTERIOR TRIM						
Silver Brushed Aluminum	Ebony, Parchment	Ebony, Parchment, Graystone	_	_		_
Bronze Brushed Aluminum		Espresso	_			
Geometric Patterned Brushed Aluminum			Ebony, Red		Ebony, Red, Orchid	
Dark Authentic Open-Pore Wood				Ebony, Espresso,	,, orona	
				Parchment		_
ight Authentic Open-Pore Wood	_	_	_	Graystone		





EXTERIOR	MDX	Technology	A-Spec	Advance	A-Spec Advance	Type S Advance
Panoramic Moonroof with Tilt and Slide Function	•	•	•	•	•	•
Jewel Eye [®] LED Headlights	•	•	•	•	•	•
Chicane [™] LED Daytime Running Lights	•	•	•	•	•	•
LED Fog Lights	А	А	•	٠	•	•
Chicane™ LED Taillights	•	•	•	٠	•	•
LED Side Mirror-Integrated Directional Signals	•	•	•	٠	•	•
LED Outer Door Handle Lights	_	—	—	•	•	•
Smart Entry with Walk Away Auto Lock [®] (front door and tailgate)	•	_	_	_	—	—
Smart Entry with Walk Away Auto Lock $^{\otimes}$ (all doors and tailgate)	_	•	•	•	•	•
A-Spec Exterior Sport Appearance Package	-	—	•	_	•	_
Type S Exterior Sport Appearance Package	_	_	_	_	_	•
Power-Folding Side Mirrors	_	•	•	•	•	•
Acoustic Laminate Windshield and Front Side Glass	•	•	•	•	•	•
Remote-Operated Windows and Moonroof-Open Function	•	•	•	•	•	•
Power Lift Tailgate	•	_	_	_	_	•
Power Lift Tailgate with Hands Free Access and Walk Away Close	_	•	•	•	•	•
Roof Rails	A	А	A	•	•	•
Capless Fuel Fill	•	•	•	•	٠	•



DISCLAIMERS

2025

- 7. The USB interface is used for playback of MP3, WMA or AAC music files from digital audio players and other USB devices, as well as smartphone data transfer on designated Smartphone/Audio Interface ports. Some USB devices and files may not work. Please see your Acura dealer for details.
- 9. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks is under license.
- 10. VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
- 16. The systems are not a substitute for your own visual assessment before changing lanes or backing up, and may not detect all objects, or provide complete information about conditions, behind or to the side of the vehicle. System accuracy will vary based on weather, size of object, and speed. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 30. Based on SAE J1100 cargo volume measurement standard plus, where applicable, floor space between seating rows and seats in their forward-most and upright position.
- 33. Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle.
- 34. Adaptive Cruise Control (ACC) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. The driver remains responsible for avoiding a collision.
- 36. FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 37. LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 38. LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 39. CMBS with FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed, and other factors. System operation affected by extreme interior heat. FCW does not apply braking, and CMBS only is designed to mitigate crash forces. Depending on the circumstances, CMBS may not go through all the alert stages before initiating the last stage of collision mitigation. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 40. Select AcuraLink features are complimentary. 36-month complimentary trials are available for Security, Remote, and Concierge packages. A subscription is required to continue AcuraLink services after the trial ends.
- 49. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy for details regarding Apple's use and handling of data uploaded by CarPlay. Use of CarPlay is at user's own risk, and is subject to agreement to the CarPlay terms of use, which are included as part of the Apple iOS terms of use. CarPlay vehicle integration is provided "as is," and Acura cannot guarantee CarPlay operability or functionality now or in the future due to, among other conditions, changes in CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details.
- 50. Android and Android Auto are trademarks of Google LLC. Wireless use of Android Auto requires a compatible Android 11.0+ phone and compatible active data plan. Check g.co/android auto/requirements for compatibility.
- 51. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see the Owner's Manual for details.
- 58. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
- 64. Requires AT&T data plan. Learn more about available data plans here: [https://myvehicle.att.com/#/acura/learn?country=US&language=en] Coverage and service not available everywhere. Fees, terms and restrictions apply.
- 65. As rated by the California Air Resources Board (CARB).
- 67. TSR cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for complying with all traffic regulations.
- 72. ACC with Low-Speed Follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed, and and other factors. System operation affected by extreme interior heat. ACC should not be used in heavy traffic, poor weather, or on winding roads. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 81. Amazon, Alexa and all related marks are trademarks of Amazon.com, Inc. or its affiliates. Certain Alexa functionality is dependent on smart home technology.
- 92. Brembo is a registered trademark of Brembo S.p.A. Brembo's product names are either trademarks or registered trademarks of Brembo.
- 93. Acura wireless phone charger is compatible with Qi wireless charging standards. Check with your device's manufacturer for wireless capability.
- 98. Based on 2025 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary, depending on how you drive and maintain your vehicle, driving conditions, battery-pack age/condition (hybrid only) and other factors.

