

Standard (S) , Available (A) , Not Available (–)	2025 Acura RDX	2025 Audi Q5 45 TFSI quattro	2025 BMW X3 xDrive30	2025 Cadillac XT5	2025 INFINITI QX50	2025 Lexus NX 350	2025 Volvo XC60 B
ENGINE/MOTOR							
Engine type	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharge 4-cylinder
Ingine displacement	2.0	2.0	2.0	2.0	2.0	2.4	2.0
lower (hp @ rpm) SAE net)	272 @ 6500	268 @ NA	255 @ 4700–6500	235 @ 5000	268 @ 5600	275 @ 6000	247 @ 5400
orque (lb-ft @ rpm)	280 @ 1600-4500	295 @ NA	295 @ 1600–4500	258 @ 1500–4000	280 @1600-4800	317 @ 1700–3600	266 @ 1800
Direct fuel injection	S	S	S	S	S	S	S
ariable valve timing	S (VTEC®)	S	S	S	S	S	S
dle stop	S	S	S	S	S	_	S
RIVETRAIN				_	_		
-wheel drive	-	-	-	S (Front-wheel)	-	-	-
All-wheel drive	S (Super Handling All-Wheel Drive™ [SH-AWD®])	S (quattro®)	S (xDrive)	A (Active Twin-Clutch Rear Differential)	S	S	S
Forque-vectoring	S (Super Handling All- Wheel Drive™)	_	_	A (Active Twin-Clutch Rear	_	_	_
Automatic transmission	S	S (7 aread DCT)	S (% anad)	Differential) S (0 energy)	S	S	S (9 annual)
Shift-by-wire	(10-speed)	(7-speed DCT)	(8-speed)	(9-speed)	(CVT)	(8-speed) S	(8-speed)
Selectable drive modes	S (Integrated Dynamics System); (Snow, Comfort, Normal, Sport)	S Drive Select; (Comfort, Auto, Dynamic, Off-Road)	S Driving Dynamics Control	S Driving Mode Selector (Tour, Snow/Ice, Sport)	S (Driving Mode Selector); (Standard, Sport, Eco, Personal)	(Normal, Eco, Sport)	S (Comfort, Off-Road
Paddle shifters	S	S	S	S	S	S	S
SUSPENSION AND STEER	Independent			Independent MacPherson	Independent MacPherson	Independent MacPherson	Independent doub
ront suspension	MacPherson strut Independent	Independent multi-link	Independent multi-link	strut	strut	strut Independent double-	wishbone
Rear suspension	multi-link	Independent multi-link	Independent multi-link	Independent multi-link	Independent multi-link	wishbone	Independent multi-l
ampers	S	-	-	-	-	-	_
Adaptive Damper System	A S	S	A	A		A	
Steering type	(Dual-pinion, electric power assist rack-and- pinion)	S (Electric power assist rack-and-pinion)	S (Electric power assist rack-and-pinion)	S (Electric power assist rack-and-pinion)	S (Electric power assist rack-and-pinion)	S (Electric power assist rack-and-pinion)	S (Electric power assirack-and-pinion)
Turning circle diameter – curb-to-curb (feet)	38.9	38.7	40.0	Not listed	36.4	38.0	37.4
RAKING							
-wheel disc brakes	S	S	S	S	S	S	S
lectric parking brake	S	S	S	S	S	S	S
VHEELS AND TIRES	19 x 8.0	18 x 8.0	19 x 8.5	18 x 8.0	19 x 7.5	18 x 7.5	18 x 7.5
Standard wheel size	P235/55 R19	P235/60 R18	245/50 R19	P235/65 R18	P235/55 R19	P235/60 R18	P235/60 R18
Available wheel size	20 x 8.0	19 x 8.0; 20 x 8.0	20 x 9.0 (front); 20 x 10.5 (rear) 21 x 9.0 (front); 21 x 10.5 (rear)	20 x 8.0	20 x 8.5	20 x 7.5	19 x 7.5
vailable tire size	P255/45 R20	P235/55 R19; P255/45 R20	245/45 R20 (front), 285/40 R20 (rear); 255/40 R21 (front), 285/35 R21 (rear)	P235/55 R20	P255/45 R20	P235/50 R20	P235/55 R19
Run-flat tires	-	-	S S	-	S	-	S
XTERIOR							
ED headlights	S	S	S	S	S	S	S
utomatic high-beam eadlights	S	S	S	S	S	S	S
eated outside mirrors	S	S	S	S	S	S	S
ower panoramic noonroof	S	A	A	A	A	A (Not panoramic) A (Panorama glass roof)	S
Rear privacy glass	S	S	S	S	S	S	S
Remote-linked power- perated tailgate	S	S	S	S	S	Α	S
Hands-free liftgate	А	A	Α	S	А	А	S





Standard (S), Available (A), Not Available (-)	2025 Acura RDX	2025 Audi Q5 45 TFSI quattro	2025 BMW X3 xDrive30	2025 Cadillac XT5	2025 INFINITI QX50	2025 Lexus NX 350	2025 Volvo XC60 B5
INTERIOR							
	S (12-way);	S	_	S	S	S	S
Power driver's seat	A	(12-way)	S	(8-way)	(8-way)	(8-way)	(10-way)
Driver memory	(16-way) S	S	S	A	A	A	S
Heated front seats	S	S	A	S	A	S	S
Heated and ventilated	A	Α	A	A	A	A	
front seats	A	A	A	Α			
Heated rear seats	(Outboard seats)	(Outboard seats)	(Outboard seats)	(Outboard seats)	A S	A	 S
Folding rear seatbacks	(60/40)	(40/20/40)	(40/20/40)	(60/40)	(60/40)	(60/40)	(40/20/40)
Leather-appointed seating COMFORT AND CONVENIEN	A	S	Α	A	A	A	A
Dual-zone automatic				0.(0)	0 (0		0.(0)
climate control system with air filtration	S	S	S	S (2-zone); A (3-zone)	S (2-zone); A (3-zone)	S	S (2-zone); A (4-zone)
GPS-linked climate control ¹⁸	А	_	_	-	_	_	_
Rain-sensing windshield wipers	А	S	S	А	А	S	S
Tilt/telescopic steering column	S (Manual)	S (Manual); A (Power)	S (Manual)	S (Manual); A (Power)	S (Manual); A (Power)	S (Manual); A (Power)	S (Manual)
Heated steering wheel	A	Α	A	A	A	A	A
Keyless Access System	•	•	•	•	•		
with Smart Entry, pushbutton ignition	S	S	S	S	\$	S	\$
Walk Away Door Lock®	S	-	Α	-	-	_	
Remote engine start	A	S	A	S	S	S	S
Remote-operated windows and moonroof- open function	S	S	S	-	-	S	-
Rear side-window sunshades	-	А	А	-	А	-	А
HomeLink® 47	S	S	S	S	A	S	A
Head-Up Display	А	A	А	А	А	А	Α
Automatic dimming rearview mirror	S	S	S	S	А	S	S
Active Sound Control	S	-	_	S	A	S	-
Hill start assist	S	S	S	S	S	S	S
Multi-view rear camera ³³ with dynamic guidelines	S	S (Single-view)	S (Single-view)	S (Single-view)	S (Single view)	S (Single-view)	S (Normal view; zoom view
Around view camera ³³	A	A A	A	A	A A	A	A
SAFETY/DRIVER ASSIST							
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	S	-	-	-	-	-	-
Knee airbags ²⁶	S (Driver and front passenger)	-	S	S (Driver)	S (Driver and front passenger)	S (Driver and front passenger)	S (Driver)
Adaptive Cruise Control (ACC) with Low-Speed Follow ⁷²	S	А	S	А	S	S	A
Low-Speed Autonomous Emergency Braking	S	S	S	S	S	S	S
Vehicle Stability Assist® (VSA®)¹º with traction control and motion adaptive steering	S	S (Without MAS)	S (Without MAS)	S (Without MAS)	S (Without MAS)	S (Without MAS)	S (Without MAS)
Parking sensors	A (Front and rear)	S (Front and rear)	S (Front and rear)	S (Front and rear)	S (Rear) A (Front and rear)	S (Front and rear)	S (Rear)
Blind spot information system ¹⁶	S	S	S	S	S	S	S
Forward Collision Warning (FCW) system ³⁶	S	S	S	S	S	S (With pedestrian detection)	S
Lane Departure Warning (LDW) system ³⁷	S	S	S	S	S	S	S
Lane Keeping Assist System (LKAS) ³⁸	S	S	S	S	S	S	S
Rear Cross Traffic	S	S	S	S	S	S (Plus braking)	S
						(ao braining)	





ystem ²⁷ S S S S S S S S S S S S S S S S S S S	itandard (S) , Available (A) , lot Available (–)	2025 Acura RDX	2025 Audi Q5 45 TFSI quattro	2025 BMW X3 xDrive30	2025 Cadillac XT5	2025 INFINITI QX50	2025 Lexus NX 350	2025 Volvo XC60 B
Section Milestand Section Se	SAFETY/DRIVER ASSIST (C	CONTINUED)						
Carabing System S	Road Departure Mitigation system ⁵²	S	-	-	-	-	-	-
	raking System™	S	S	S	S	S	S	S
Part	•							
	Premium uudio system	(Acura/ELS Studio®20 Premium Audio System with 12 speakers); A (Acura/ELS Studio® 3D Premium Audio System	(Bang & Olufsen® 3D with	(Harman/Kardon® Surround Sound with	(Bose® Studio Surround	(Bose® Performance	(Mark Levinson® Surround Sound System with	A (Harman/Kardon ^s Premium Sound with 14 speakers)
Debugs S	Streaming audio via	S	S	S	S	S	S	S
Standard		S	S	S	S	S	S	S
	ISB port ⁷	S (1 media; 1 charge);	1 charge);		S (2 media;	S	S	
No.	EDIA AND CONNECTIVIT		(*************************************		3.7			
Note System S	lavigation system ¹⁸	А	A	S	А	А		S
Int Syes Free* S	Bluetooth® Hands-Free Phone System®							
Page Care Play Page S S S S S S S S S	•							
cimpatibility (wireless) (wireless) (wireless) (wireless) (wireless) S C C S A S S S S A A S S S A A S S S A A S S S S A A S S S S A A A A S S S S S A B								
	ompatibility	(wireless)	(wireless)	(wireless)	(wireless)	(wireless)	(wireless)	
Part		(wireless)		(wireless)		\$ 	(wireless)	S
oble hetspot S A S S S S S XEERIOR DIMENSIONS (IN). beelbase 108.3 111.0 112.8 112.0 110.2 105.9 112.8 ack width (front/ear) 64.2/64.7 63.6/63.3 63.5/65.3 64.8/64.8 64.4/64.2 63.2/64.0 65.1/65.2 verall width verall height 65.7 65.4 65.4 66.1 66.0 65.4 65.4 verall height 65.7 65.7 65.4 66.1 66.0 65.4 65.4 verall height 65.7 65.7 65.4 66.1 66.0 8.1 8.5 verall height 65.7 63.7 65.4 66.1 66.0 8.1 8.5 verall height 65.7 83.23.8 Not listed <t< td=""><td>mazon Alexa® Built-In⁶⁸</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	mazon Alexa® Built-In ⁶⁸							
Page		A	S	Not listed	A	S	S	A
The elbase 108.3 111.0 112.8 112.0 110.2 105.9 112.8 112.0 110.2 105.9 112.8 112.8 112.0 110.2 105.9 112.8 112.8 112.0 110.2 105.9 112.8 115.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 184.7 183.5 185.6 185.6 184.7 183.5 185.6 185.6 184.7 183.5 185.6	apability ⁶⁴		A	S	S	S	S	S
rack width (front/rear) 64.2/64.7 63.6/63.3 63.5/65.3 64.8/64.8 64.4/64.2 63.2/64.0 65.1/65.2 werall leight 187.4 185.7 187.2 189.6 184.7 183.5 185.4 verall leight 65.7 65.7 65.4 66.1 66.0 65.4 65.4 verall height 65.7 65.7 65.4 66.1 66.0 65.4 65.4 Intellegible Legations (Intellegible Legations) 8.2 8.2 8.5 7.8 8.6 8.1 8.5 Intellegible Legations (Intellegible Legations) - 8.2 8.2 8.5 7.8 8.6 8.1 8.5 Intellegible Legations (Intellegible Legations) - </td <td>,</td> <td>. '</td> <td>111.0</td> <td>112.8</td> <td>112.0</td> <td>110.2</td> <td>105.9</td> <td>112.8</td>	,	. '	111.0	112.8	112.0	110.2	105.9	112.8
Parall width Parall Pa								
Not listed Not	verall length	187.4	185.7	187.2	189.6	184.7	183.5	185.4
Round clearance Round clea		74.8	74.8	75.6	74.9	74.9	73.4	78.7
Not listed Not		65.7	65.7	65.4	66.1	66.0	65.4	65.4
Paddroom (front/rear) -	nladen)		8.2	8.5	7.8	8.6	8.1	8.5
Address of front/rear) 40.0/38.0 NA 40.5/38.2 Not listed 40.0/38.4 37.1/38.1 38.0/38.0 notifier room root/rear) 60.0/57.0 57.7/56.5 57.9/55.7 58.3/56.3 57.9/57.1 56.3/54.0 58.2/56.3 proom (front/rear) 55.0/50.0 Not listed Not listed 56.1/54.8 55.6/53.8 56.3/52.5 56.4/55.4 percom (front/rear) 42.0/38.0 40.9/38.0 40.9/38.0 40.9/38.0 40.2/36.3 41.2/39.0 39.6/38.7 41.0/36.1 41.0/36.1 41.5/38.0 APACITIES PA passenger volume (ith monroof) (cu ft) 104.0 Not listed Not listed Not listed 104.5 104.4 Not listed 103.0 PA cargo volume (ith monroof) (cu ft) 58.9 ³⁰ (79.8 ³¹) 25.9/54.1 31.5/67.1 30.0/63.0 31.4/65.1 22.7/46.9 17.1/63.3 not row up/down) (cu ft) 58.9 ³⁰ (79.8 ³¹) 150.0 4400 Not listed 1000 3000 2000 3500 PA FIELE CONOMY RATINGS (MPC)** wheel drive - ty 22 23	eadroom (front/rear)	l.) _	38.2/37.8	Not listed	39.7/38.4	41.0/39.1	38.3/38.5	_
Second S		40.0/38.0						38.0/38.0
Pegroom (front/rear) 42.0/38.0 40.9/38.0 40.2/36.3 41.2/39.0 39.6/38.7 41.0/36.1 41.5/38.0 40.9/38.0 40.9/38.0 40.2/36.3 41.2/39.0 39.6/38.7 41.0/36.1 41.5/38.0 40.0 40.0 40.0 40.0 40.0 40.0 40.0 4	noulder room	60.0/57.0	57.7/56.5	57.9/55.7	58.3/56.3	57.9/57.1	56.3/54.0	58.2/56.3
APACITIES PA passenger volume rithout moonroof) (cu ft) 104.0 Not listed Not listed 104.5 104.4 Not listed 103.0 PA cargo volume rithout moonroof) 29.5 ***(31.1 ***) / 58.9 ***(79.8 ***) 104.9 25.9/54.1 31.5/67.1 30.0/63.0 31.4/65.1 22.7/46.9 17.1/63.3 104.4 104.4 104.4 104.6 104.	proom (front/rear)	55.0/50.0		Not listed	,		56.3/52.5	
Not listed Not	• , ,	42.0/38.0	40.9/38.0	40.2/36.3	41.2/39.0	39.6/38.7	41.0/36.1	41.5/38.0
29.5° (79.8°) 25.9/54.1 31.5/67.1 30.0/63.0 31.4/65.1 22.7/46.9 17.1/63.3 22.7/46.9	vithout moonroof) (cu ft)	104.0	Not listed	Not listed	104.5	104.4	Not listed	103.0
Let tank capacity (gal) 17.1 18.5 17.2 19.0 16 14.5 18.8 aximum towing capacity of seximum towing cap	vith moonroof)	29.5 ³⁰ (31.1 ³¹)/ 58.9 ³⁰ (79.8 ³¹)	25.9/54.1	31.5/67.1	30.0/63.0	31.4/65.1	22.7/46.9	17.1/63.3
Solid Soli	. ,, ,	17.1	18.5	17.2	19.0	16	14.5	18.8
wheel drive - ity - - 2 2 - - - ighway - - 29 - - - -	b) ⁶²		4400	Not listed	1000	3000	2000	3500
ty – – 22 – – – ghway – – 29 – – – –		NGS (MPG)63						
ighway – – – 29 – – –					0.5			
· · · · · · · · · · · · · · · · · · ·	-			_		-		-





Standard (S), Available (A), Not Available (–)	2025 Acura RDX	2025 Audi Q5 45 TFSI quattro	2025 BMW X3 xDrive30	2025 Cadillac XT5	2025 INFINITI QX50	2025 Lexus NX 350	2025 Volvo XC60 B5
EPA FUEL ECONOMY RATING	GS (MPG)63 (CONTINUI	ED)					
All-wheel drive							
City	21; 21 (A-Spec®)	23	27	21	22	21	22
Highway	27; 26 (A-Spec)	29	33	27	28	28	28
Combined	23; 23 (A-Spec)	26	29	23	25	24	25
WARRANTY COVERAGE (LIMITED)							
Basic (years/miles)	4/50,000	4/50,000	4/50,000	4/50,000	4/50,000	4/50,000	4/50,000
Powertrain (years/miles)	6/70,000	4/50,000	4/50,000	6/70,000	6/70,000	6/70,000	4/50,000
Corrosion (years/miles)	5/unlimited	12/unlimited	12/unlimited	6/unlimited	6/unlimited	6/unlimited	12/unlimited

DISCLAIMERS

- 7. The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB devices with security software and digital rights-protected files may not work. Please see your local Acura dealer for details on compatibility.
- 9. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks is under license.
- 10. VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
- 16. The system is not a substitute for your own visual assessment before changing lanes; system accuracy will vary based on weather, size of object and speed
- 18. Acura Navigation System and related features available only in the United States, Puerto Rico and parts of Canada. See your local Acura dealer for information regarding navigation system area coverage.
- 20. ELS Surround® and ELS Studio® are registered trademarks of Panasonic Corporation of North America. All rights reserved.
- 22. AcuraLink® Real-Time Traffic™ is operable only in select markets within the 48 contiguous United States, as well as Vancouver, Toronto and Montreal. The service is available at no cost for three years after purchase whereupon it will continue to be available on a subscription basis.
- 26. Acura reminds you and your passengers to always buckle up. Children 12 and under are safest when properly restrained in the rear seat.
- 30. Based on SAE J1100 cargo volume measurement standard.
- 31. Based on SAE J1100 cargo volume measurement standard plus floor space between first and second seats and front seats moved forward. This figure compares more accurately with most competitive measurements.
- 33. Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 36. FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 37. LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 38. LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 39. Depending on the circumstances, CMBS may not go through all of the alert stages before initiating the last stage of collision mitigation. CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by high interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 47. HomeLink and the HomeLink house are registered trademarks of Johnson Controls®.
- 48. Always remain attentive when driving. Certain functions are disabled or inoperable while the vehicle is in motion. Only operate the system when conditions permit you to safely do so. Avoid focusing on the device display or manually operating the system controls while driving. State or local laws may prohibit the operation of handheld electronic devices while operating a vehicle. CarPlay®, Siri, iPod® and iPhone® are registered trademarks of Apple Computer, Inc., registered in the U.S. and other countries
- 49. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy for details regarding Apple's use and handling of data uploaded by CarPlay. Use of CarPlay is at user's own risk, and is subject to agreement to the CarPlay terms of use, which are included as part of the Apple iOS terms of use. CarPlay vehicle integration is provided "as is," and Acura cannot guarantee CarPlay operability or functionality now or in the future due to, among other conditions, changes in CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details.
- 50. To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is," and Acura cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Only use Android Auto when conditions allow you to do so safely. Google, Google Play and Android Auto are trademarks of Google LLC.





- 52. Road Departure Mitigation only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lane position and/or brake pressure to slow the vehicle's departure from a detected lane. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 58. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
- 62. Towing requires the addition of the Acura accessory trailer hitch and hitch ball. Please see your Acura dealer for details. Added cargo weight in the vehicle may reduce max towing capacity, see Owner's Guide for details.
- 63. Based on 2024/2025 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary, depending on how you drive and maintain your vehicle, driving conditions, battery-pack age/condition (hybrid only) and other factors.
- 64. Requires AT&T data plan. Learn more about available data plans here: [https://myvehicle.att.com/#/acura/learn@country=US&language=en]. Coverage and service not available everywhere. Fees, terms and restrictions apply.
- 68. When you use Amazon Alexa Auto in your Acura vehicle, Amazon will receive, use and retain information about you and your vehicle to help provide more relevant results. This may include your location, Alexa Auto interactions and information about your vehicle type, features, status and network connectivity. Before using Alexa Auto, please review Amazon's Alexa Terms of Use and the Privacy Notice for your region.
- 72. ACC with Low-Speed Follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed, and other factors. System operation affected by extreme interior heat. ACC should not be used in heavy traffic, poor weather, or on winding roads. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 77. The Rear Cross Traffic Monitor is not a substitute for your own visual assessment before backing up; system accuracy will vary based on weather, size of object, and speed. Driver remains responsible for safely operating vehicle and avoiding collisions.

