

• = Included, -- = Not Available, A = Available, CVT = Continuously Variable Transmission

ENGINE	ADX	A-Spec	A-Spec Advance
Engine Type	In-Line 4 Cylinder with Turbocharger	In-Line 4 Cylinder with Turbocharger	In-Line 4 Cylinder with Turbocharger
Displacement (liters)	1.5	1.5	1.5
Horsepower (SAE net @ rpm) <sup>1</sup>	190 @ 6,000	190 @ 6,000	190 @ 6,000
Torque (lb.-ft. @ rpm) <sup>2</sup>	179 @ 1,700-5,000	179 @ 1,700-5,000	179 @ 1,700-5,000
Redline (rpm)	6,500	6,500	6,500
Bore and Stroke (mm)	73.0 / 89.5	73.0 / 89.5	73.0 / 89.5
Compression Ratio	10.6:1	10.6:1	10.6:1
Valvetrain	16-Valve DOHC VTEC®	16-Valve DOHC VTEC®	16-Valve DOHC VTEC®
Fuel Injection	Direct	Direct	Direct
CARB Emissions Rating <sup>3</sup>	LEV4-ULEV50	LEV4-ULEV50	LEV4-ULEV50
Idle Stop	•	•	•
Tune-Up Interval	100k+- Miles; No Scheduled Tune-Ups	100k+- Miles; No Scheduled Tune-Ups	100k+- Miles; No Scheduled Tune-Ups
Acura Maintenance Program 1yr / 12k miles	•	•	•

## DRIVETRAIN

Front-Wheel Drive	•	•	•
All-Wheel Drive (AWD) with Intelligent Control System	Available	Available	Available
Continuously Variable Transmission (CVT) with Paddle Shifters	•	•	•
Ratio Range	2.645 ~ 0.405	2.645 ~ 0.405	2.645 ~ 0.405
Reverse	1.859 ~ 1.265	1.859 ~ 1.265	1.859 ~ 1.265
Final Drive	5.641	5.641	5.641

## FUEL

EPA MPG Ratings* (City/Hwy/Combined) <sup>4</sup> (2WD)	26 / 31 / 28	26 / 31 / 28	26 / 31 / 28
EPA MPG Ratings* (City/Hwy/Combined) <sup>4</sup> (AWD)	25 / 30 / 27	25 / 30 / 27	25 / 30 / 27
Fuel Tank Capacity (U.S. gal)	14.0	14.0	14.0
Recommended Fuel	Premium Unleaded (91 Octane)	Premium Unleaded (91 Octane)	Premium Unleaded (91 Octane)

## CHASSIS

Integrated Dynamics System	4-Mode Snow / Comfort / Normal / Sport	4-Mode Snow / Comfort / Normal / Sport	5-Mode Snow / Comfort / Normal / Sport / Individual
MacPherson Strut Front Suspension	•	•	•
Multi-Link Rear Suspension	•	•	•
Dual Pinion Assist Electric Power Steering (EPS)	•	•	•
Stabilizer Bar [FWD] (mm) (front/rear)	28 x 5.0 (tubular) 18.0 (solid)	28 x 5.0 (tubular) 18.0 (solid)	28 x 5.0 (tubular) 18.0 (solid)
Stabilizer Bar [AWD] (mm)(front/rear)	28 x 5.0 (tubular) 13.5 (solid)	28 x 5.0 (tubular) 13.5 (solid)	28 x 5.0 (tubular) 13.5 (solid)
Steering Wheel Turns, Lock-to-Lock	2.4	2.4	2.4
Steering Ratio	12.7:1	12.7:1	12.7:1
Turning Diameter, Curb to Curb (ft.)	37	37	37
Power-Assisted Ventilated Front Disc / Solid Rear Disc Brakes (in.)	12.3 / 12.2	12.3 / 12.2	12.3 / 12.2
Brake Disc Thickness (in.) (front/rear)	0.98 / 0.39	0.98 / 0.39	0.98 / 0.39

Wheels	18 x 7J Aluminum Alloy	19 x 8J Aluminum Alloy	19 x 8J Aluminum Alloy
Tires	225 / 55R18 98H All-season Tires	235 / 45R19 95W All-season Tires	235 / 45R19 95W All-season Tires
Black Lug Nuts	-	-	-
Tire Repair Kit (TRK)	FWD	FWD	FWD
Spare Tire	AWD	AWD	AWD

## DIMENSIONS

## EXTERIOR

Length (in.)	185.8	185.8	185.8
Width (in.)	72.5	72.5	72.5
Height (in.) (2WD/AWD)	63.8 / 63.8	63.8 / 63.8	63.8 / 63.8
Wheelbase (in.)	104.5	104.5	104.5
Track (in.) (front/rear)	62.6 / 63.2	62.6 / 63.2	62.6 / 63.2
Ground Clearance (in.) (unladen)	7.3	7.3	7.3
Approach/Departure Angles (deg.)	16.3 / 20.7	16.3 / 20.7	16.3 / 20.7

## INTERIOR

Headroom (in.) (first row / second row)	38.4 / 38.0	38.5 / 36.8	38.5 / 36.8
Legroom (in.) (first row / second row)	41.9 / 37.7	41.9 / 37.7	41.9 / 37.7
Shoulder Room (in.) (first row / second row)	56.6 / 55.2	56.6 / 55.2	56.6 / 55.2
Hiproom (in.) (first row / second row)	54.0 / 47.4	54.0 / 47.4	54.0 / 47.4
Cargo Volume (cu ft.) <sup>5</sup> Standard / Max	24.4 / 55.1	24.4 / 55.1	23.2 / 53.9
EPA Passenger Volume (cu ft.) (2WD & AWD)	97.3	96	96

## WEIGHT

Curb Weight (lbs.) (2WD)	3,369	3,435	3,466
Curb Weight (lbs.) (AWD)	3,514	3,578	3,611
Weight Distribution (%) (front/rear) (2WD)	60 / 40	59 / 41	59 / 41
Weight Distribution (%) (front/rear) (AWD)	58 / 42	58 / 42	57 / 43

## FEATURES

## ACURAWATCH™

Collision Mitigation Braking System™ (CMBS™) <sup>6</sup>	•	•	•
Road Departure Mitigation System (RDM) <sup>7</sup>	•	•	•
Lane Departure Warning (LDW) <sup>8</sup>	•	•	•
Forward Collision Warning (FCW) <sup>9</sup>	•	•	•
Adaptive Cruise Control (ACC) <sup>10</sup> with Low-Speed Follow	•	•	•
Lane Keeping Assist System (LKAS) <sup>11</sup>	•	•	•
Traffic Sign Recognition System (TSR) <sup>12</sup>	•	•	•
Traffic Jam Assist	•	•	•
Blind Spot Information System (BSI) <sup>13</sup>	•	•	•
Cross Traffic Monitor (CTM)	•	•	•
Pedestrian Detection	•	•	•
Low-Speed Braking Control	-	-	•
Auto High Beam Headlights	•	•	•
Parking Sensors (4 Front & 4 Rear)	-	-	•

## SAFETY &amp; DRIVER ASSISTIVE TECHNOLOGY

Advanced Compatibility Engineering™ (ACE™) Body Structure	.	.	.	.
Advanced Front Airbags (SRS)	.	.	.	.
Advanced Front Knee Airbags	.	.	.	.
Advanced Rear Side Airbags	.	.	.	.
Side Curtain Airbags	.	.	.	.
Rear Outboard Passenger's Side Airbags	.	.	.	.
3-Point Seat Belts At All Seating Positions	.	.	.	.
Seat-Belt Reminder for All Seating Positions	.	.	.	.
Front and Outboard Rear 3-Point Seat Belts with Automatic Tensioning System	.	.	.	.
Lower Anchors and Tethers for Children (LATCH): Lower Anchors (2nd-Row Outboard), Tether Anchors (2nd-Row All)	.	.	.	.
Child-Proof Rear Door Locks	.	.	.	.
Vehicle Stability Assist™ (VSA®) with Traction Control <sup>14</sup>	.	.	.	.
Tire Pressure Monitoring System (TPMS) <sup>15</sup>	.	.	.	.
Rearview Camera <sup>16</sup>	.	.	.	.
Multiview Camera System	-	-	-	.
Anti-Lock Braking System (ABS)	.	.	.	.

## DRIVER CONVENIENCE

Auto-On/Off Headlight	.	.	.	.
Hill Start Assist	.	.	.	.
One-Touch Turn Indicators	.	.	.	.
Rear Seat Reminder (RSR)	.	.	.	.
Electronic Parking Brake (EPB) with Automatic Brake Hold	.	.	.	.
Remote Engine Start with Vehicle Feedback	-	-	-	.
Active Noise Cancellation™ (ANC)	.	.	.	.

## AUDIO &amp; CONNECTIVITY

9-inch Color Touchscreen	.	.	.	.
10.2-inch Digital Instrument Cluster	.	.	.	.
Google built-in <sup>17</sup> (includes 3-Years Unlimited Data Plan for In-Vehicle Apps)	-	-	-	.
Alexa built-in <sup>18</sup>	-	-	-	.
Acura Premium Sound System with 8 Speakers	.	.	.	-
Bang & Olufsen Premium Sound System with 15 speakers	-	-	-	.
Wireless Apple CarPlay® <sup>19</sup> Compatibility	.	.	.	.
Wireless Android Auto™ <sup>20</sup> Compatibility	.	.	.	.
Bluetooth® HandsFreeLink® <sup>21</sup>	.	.	.	.
Bluetooth® Streaming Audio <sup>21</sup>	.	.	.	.
3.0-Amp USB-C Smartphone/Audio Interface <sup>22</sup> - Front Seat (1)	.	.	.	.
3.0-Amp USB-C Charging Ports - Front Seat (1)	.	.	.	.
3.0-Amp USB-C Charging Ports - Rear Seats (2)	-	.	.	.
HD Radio™ <sup>23</sup>	-	-	-	.
Wifi Hotspot Capability	.	.	.	.
Wireless Phone Charger (Qi) <sup>24</sup>	.	.	.	.
AcuraLink® <sup>25</sup>	.	.	.	.
Speed-Sensitive Volume Compensation (SVC)	.	.	.	.

## INTERIOR

Power Windows with Auto Up/Down Driver's Window	.	.	.
Power Windows with Auto Up/Down Passenger's Window	-	.	.
Illuminated Sunvisor Vanity (Driver & Passenger)	.	.	.
Heated Front Seats	.	.	.
Ventilated Front Seats	-	.	.
Leatherette-Trimmed Seats	.	-	-
Leatherette-Trimmed Seats with Microsuede Accents	-	.	-
Leather-Trimmed Seats	-	-	.
Driver's Seat with 8-Way Power Adjustment	.	.	-
Driver's Seat with 12-Way Power Adjustment with Power Lumbar	-	-	.
Passenger Seat with Manual Adjustment	.	-	-
Passenger Seat with 4-Way Power Adjustment	-	.	.
Two-Position Driver's Seat Memory	-	-	.
Leather-Wrapped Steering Wheel	.	-	-
Leather-Wrapped Flat Bottom Steering Wheel	-	.	.
Heated Steering Wheel	-	-	.
Steering Wheel-Mounted Controls	.	.	.
Tilt and Telescopic Steering Column	.	.	.
Dual-Zone Automatic Climate Control	.	.	.
Automatic-Dimming Frameless Rearview Mirror	.	.	.
60/40 Split 2nd-Row Seat	.	.	.
Ambient LED Lighting	.	.	.
12-Volt Power Outlet (Front & Cargo Area)	.	.	.
A-Spec Interior Sport Appearance Package	-	.	.
Sunglass Holder	.	.	.
Sport Pedals	-	.	.
Rear AC Vents	.	.	.

## EXTERIOR

LED Headlights with Auto-On/Off	.	.	.
LED Front Turn Indicators	.	.	.
Chicane™ LED Daytime Running Light (DRL)	.	.	.
LED Fog Lights	-	.	.
LED Side Mirror Directional Turn Indicator	.	.	.
Chicane™ LED Taillights	.	.	.
Heated Side Mirrors	.	.	.
Gloss Black Mirror Caps	-	-	.
Power Folding Mirrors	-	-	.
One-Touch Power Moonroof with Tilt and Slide Function	.	-	-
One-Touch Power Panoramic Moonroof with Tilt and Slide Function	-	.	.
Smart Windshield Wiper System	.	.	.
Rain-Sensing Windshield Wipers	-	-	.
Fin-Type Roof-Mounted Antenna	.	.	.
Security System with Remote Entry	.	.	.
Body-Colored Door Handles	.	.	.
Push-to-Release Fuel Filler Door	.	.	.
Capless Fuel Filler	.	.	.

Power Side Mirrors with Reverse Gear Tilt Down	.	.	.
Rear Privacy Glass	.	.	.
Smart Entry with Walk Away Auto Lock®	.	.	.
Power Tailgate with Walk Away Close	.	.	-
Power Tailgate with Walk Away Close & Hands Free Access	-	-	.
A-Spec Exterior Sport Appearance Package	-	.	.

## COLORS &amp; TRIM

STANDARD EXTERIOR COLORS	AVAILABLE INTERIOR COLORS		
Solar Silver Metallic (NH-932M)	Ebony	Ebony	Ebony
Crystal Black Pearl (NH-731P)	Ebony	Ebony, Red	Ebony, Red
Milano Red (R-81)	-	Ebony	Ebony
Adriatic Sea Blue Metallic (593M)	-	Ebony	Ebony

PREMIUM EXTERIOR COLORS	AVAILABLE INTERIOR COLORS		
Platinum White Pearl (NH-883P)	Ebony	Ebony, Orchid, Red	Ebony, Orchid, Red
Urban Gray Pearl (NH-912P)	Ebony	Ebony, Orchid, Red	Ebony, Orchid, Red

## INTERIOR TRIM

Gloss Black Trim	.	.	.
Silver Metal Film Trim	-	.	.

## DISCLAIMERS

- 190 @ 6,000 rpm (SAE net)
- 179 lb.-ft. @ 1,700-5,000 rpm (SAE net)
- LEV4-ULEV50 (Ultra-Low-Emission Vehicle) trims as certified by the California Air Resources Board (CARB).
- 26 city/31 highway/28 combined mpg rating for 2WD trims, 25 city/30 highway/27 combined mpg rating for AWD trims. Based on 2025 EPA mileage ratings. Use for comparison purposes only. Your mileage will vary depending on how you drive and maintain your vehicle, driving conditions and other factors.
- Based on SAE J1100 cargo volume measurement standard plus, where applicable, floor space between seating rows and seats in their forward-most and upright position.
- CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. System designed to mitigate crash forces. Driver remains responsible for safely operating vehicle and avoiding collisions.
- Road Departure Mitigation only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lane position and/or brake pressure to slow the vehicle's departure from a detected lane. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
- ACC with Low-Speed Follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed, and other factors. ACC should not be used in heavy traffic, poor weather, or on winding roads. Driver remains responsible for safely operating vehicle and avoiding collisions.
- LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- TSR cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for complying with all traffic regulations.
- The systems are not a substitute for your own visual assessment before changing lanes or backing up, and may not detect all objects, or provide complete information about conditions, behind or to the side of the vehicle. System accuracy will vary based on weather, size of object, and speed. Driver remains responsible for safely operating vehicle and avoiding collisions.
- VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
- For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details.
- Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle.
- Data speeds may temporarily be slowed if the network is busy. Google, Google Maps, and other related marks and logos are trademarks of Google LLC.
- Alexa and all related marks are trademarks of Amazon.com, Inc. or its affiliates.
- Apple CarPlay is a registered trademark of Apple Inc.
- Android and Android Auto are trademarks of Google LLC.
- The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license.
- The USB interface is used for playback of MP3, WMA or AAC music files from digital audio players and other USB devices, as well as smartphone data transfer on designated Smartphone/Audio Interface ports. Some USB devices and files may not work. Please see your Honda dealer for details.
- HD Radio is a proprietary trademark of iBiquity Digital Corporation.
- Acura wireless phone charger is compatible with Qi wireless charging standards. Check with your device's manufacturer for wireless capability.
- Check the AcuraLink® website for smartphone compatibility.