

• = Included. — = Not Available. A = Dealer Installed Accessory

ENGINE (MOTOR	-MDV	T 4 1			A.C. — 1	T 01
ENGINE/MOTOR	MDX	Technology	A-Spec	Advance	A-Spec Advance	Type S Advance
Engine Type	Aluminum-Alloy V6	Turbo Aluminum-Alloy V6				
Turbo Type		_	_	_	_	Twin-Scroll
Displacement (liters)	3.5	3.5	3.5	3.5	3.5	3.0
Horsepower (SAE net @ rpm)	290 @ 6,200	290 @ 6,200	290 @ 6,200	290 @ 6,200	290 @ 6,200	355 @ 5,500
Torque (lbft. @ rpm)	267 @ 4,700	267 @ 4,700	267 @ 4,700	267 @ 4,700	267 @ 4,700	354 @ 1,400-5,000
Valvetrain	24-Valve, SOHC i-VTEC	24-Valve, DOHC				
Variable Cylinder Management™ (VCM®)	•	•	•	•	•	•
Compression Ratio	11.5:1	11.5:1	11.5:1	11.5:1	11.5:1	9.8:1
Fuel Injection	Direct	Direct	Direct	Direct	Direct	Direct
Throttle Control	Drive-by-Wire Throttle System					
Idle Stop	•	•	•	•	•	•
CARB Emissions Rating <sup>65</sup>	ULEV70	ULEV70	ULEV70	ULEV70	ULEV70	ULEV70
•	100k +/- Miles					
Tune-Up Interval	No Scheduled Tune-Ups					
DRIVETRAIN						
Front-Wheel Drive	•	•				
Super Handling All-Wheel Drive™ (SH-AWD®)	•	•	•	•	•	•
10-Speed Automatic Transmission	•	•	•	•	•	•
Sequential SportShift Paddle Shifters	•	•	•	•	•	•
Gear Ratios:						
1st	5.25	5.25	5.25	5.25	5.25	5.25
2nd	3.27	3.27	3.27	3.27	3.27	3.27
3rd	2.19	2.19	2.19	2.19	2.19	2.19
4th	1.60	1.60	1.60	1.60	1.60	1.60
5th	1.30	1.30	1.30	1.30	1.30	1.30
6th	1.00	1.00	1.00	1.00	1.00	1.00
7th	0.78	0.78	0.78	0.78	0.78	0.78
8th	0.65	0.65	0.65	0.65	0.65	0.65
9th	0.58	0.58	0.58	0.58	0.58	0.58
10th	0.52	0.52	0.52	0.52	0.52	0.52
Reverse	3.97	3.97	3.97	3.97	3.97	3.97
Final Drive	4.17	4.17	4.17	4.17	4.17	4.17
Max Towing Capacity (lbs.) - FWD	3,500	3,500	3,500	3,500	3,500	3,500
Max Towing Capacity (lbs.) - SH-AWD	5,000	5,000	5,000	5,000	5,000	5,000
FUEL ECONOMY	•	·	·	·	·	
EPA Fuel Economy Ratings	10/06/00	TDD				
(city/highway/combined) - 2WD98	19/26/22	TBD				
EPA Fuel Economy Ratings (city/highway/combined) - SH-AWD <sup>98</sup>	19/25/21	TBD	TBD	TBD	TBD	TBD
	Premium Unleaded					
Recommended Fuel	91 Octane					
Fuel Tank Capacity (U.S. gallons)	18.5	18.5	18.5	18.5	18.5	18.5
CHASSIS						
Double-Wishbone Front Suspension	•	•	•	•	•	•
Multi-Link Rear Suspension	•	•	•	•	•	•
Stabilizer Bar (front)	31.8 x 5.0	30.5 Solid				
Stabilizer Bar (mm) (rear)	21.7 x 3.5 (FWD)	21.7 x 3.5 (FWD)	21.7 x 4.0	21.7 x 4.0	21.7 x 4.0	20.0 x 3.5
Amplitude Reactive Dampers	21.7 x 4.0 (SH-AWD)	21.7 x 4.0 (SH-AWD)	•	•	•	
Adaptive Air Suspension with Auto Leveling		<u> </u>				
Belt-Driven Variable-Ratio Electric Power Steering		<u> </u>				•
(EPS)	•	•	•	•	•	•
Integrated Dynamics System (IDS) with	•	•	•	•	•	•
Individual Mode						
Agile Handling Assist®	•	•	•	•	•	•
Active Exhaust Valve						•
iBooster Brake System	•	•	•	•	•	
Electro-Servo Brake (ESB) System						•
Brembo® Front 4-Piston Braking System92			_	_	_	•
Ventilated Front Disc / Solid Rear Disc Brakes (in.)	13.8 / 13.0	13.8 / 13.0	13.8 / 13.0	13.8 / 13.0	13.8 / 13.0	14.3 / 13.0
Aluminum-Alloy Wheels	19 x 8.5J	20 x 9.0J	20 x 9.0J	20 x 9.0J	20 x 9.0J	21 x 9.5J
			055/50 500	055/50 D00	055/50 D00	075/40 D04
Tires Self-Sealing Tire	255/55 R19	255/50 R20	255/50 R20	255/50 R20	255/50 R20	275/40 R21





• = Included, — = Not Available, A = Dealer Installed Accessory Technology A-Spec A-Spec Advance CHASSIS (CONTINUED) **MDX** Advance Type S Advance Tire Repair Kit Α (FWD) (FWD) Spare Tire T155/85D18 . (SH-AWD) (SH-AWD) 14.6:1 14.6:1 14.6 : 1 14.6 : 1 Steering Ratio (variable) 14.6:1 14.6:1 Turning Diameter, Curb to Curb (ft.) 40.5 40.5 40.5 40.5 40.5 40.5 **DIMENSIONS EXTERIOR** 198 4 198 4 198 4 198 4 198 4 198 4 Length (in.) Width (in.) 78 7 78.7 78.7 78.7 78.7 78 7 67.1 Height (in.) 67.1 67.1 67.1 67.1 67.1 113.8 113 8 113 8 113 8 113 8 Wheelbase (in.) 113.8 Track (in.) (front/rear) 67.9 / 67.9 67.7 / 67.7 67.7 / 67.7 67.7 / 67.7 67.7 / 67.7 67.7 / 67.7 Ground Clearance (in.) (unladen) 7.3 7.3 7.3 7.3 7.3 6.7 - 9.4 INTERIOR Headroom (in.) (first row / second row / third row) 38.5 / 38.1 / 36.2 38.5 / 38.1 / 36.2 38.5 / 38.1 / 36.2 38.5 / 38.1 / 36.2 38.5 / 38.1 / 36.2 38.5 / 38.1 / 36.2 Legroom (in.) (first row / second row / third row) 41.6 / 38.5 / 29.1 41.6 / 38.5 / 29.1 41.6 / 38.5 / 29.1 41.6 / 38.5 / 29.1 41.6 / 38.5 / 29.1 41.6 / 38.5 / 29.1 Shoulder Room (in.) (first row / second row / 61.9 / 60.3 / 55.2 61.9 / 60.3 / 55.2 61.9 / 60.3 / 55.2 61.9 / 60.3 / 55.2 61.9 / 60.3 / 55.2 61.9 / 60.3 / 55.2 third row) Hiproom (in.) (first row / second row / third row) 59.3 / 57.8 / 40.6 59.3 / 57.8 / 40.6 59.3 / 57.8 / 40.6 59.3 / 57.8 / 40.6 59.3 / 57.8 / 40.6 59.3 / 57.8 / 40.6 EPA Passenger Volume (cu ft.) 139.1 139.1 139 1 139.1 139.1 139.1 Cargo Volume (cu ft.)\* - Behind Third Row, Standard / Max<sup>30</sup> 16.3 / 18.1 16.3 / 18.1 16.3 / 18.1 16.3 / 18.1 16.3 / 18.1 16.3 / 18.1 Cargo Volume (cu ft.)\* - Behind Second Row, Standard / Max<sup>30</sup> 39.1 / 48.4 39.1 / 48.4 39.1 / 48.4 39.1 / 48.4 39.1 / 48.4 39.1 / 48.4 Cargo Volume (cu ft.)\* - Behind First Row, 71.4 / 95.0 71.4 / 95.0 71.4 / 95.0 71.4 / 95.0 71.4 / 95.0 71.4 / 95.0 Standard / Max30 \* Based on SAE J1100 cargo volume measurement standard. WEIGHT Curb Weight (lbs.) - FWD 4.268 TRD Curb Weight (lbs.) - SH-AWD 4.510 TRD TRD TRD TRD TRD Weight Distribution (%) (front/rear); FWD 59 / 41 60 / 40 58 / 42 Weight Distribution (%) (front/rear); SH-AWD 57 / 43 58 / 42 58 / 42 58 / 42 58 / 42 ACURAWATCH™ TECHNOLOGY Collision Mitigation Braking System™ (CMBS™) with Advanced Pedestrian Detection<sup>39</sup> Forward Collision Warning (FCW) System<sup>36</sup> Lane Departure Warning (LDW) System<sup>37</sup> Lane Keeping Assist System (LKAS)38 Active Lane Keeping Assist System (LKAS)38 Speed Reduction Assist with Curve Prediction **Evasive Steering Warning** Road Departure Mitigation (RDM) System<sup>52</sup> Adaptive Cruise Control (ACC) with Low-Speed . . . Follow<sup>72</sup> **Active Lane Change Assist** Lane Change Collision Mitigation Traffic Sign Recognition (TSR)67 Traffic Jam Assist73 Blind Spot Information System (BSI)16 Blind Spot Information System (BSI) with Steering Rear Cross Traffic Monitor (CTM) Front Cross Traffic Alert \_ Low Speed Braking Control . Auto High-Beam Headlights . Parking Sensors (4 front & 4 rear) SAFETY & DRIVER ASSISTIVE TECHNOLOGY **Next-Generation Advanced Compatibility** . Engineering™ (ACE™) Body Structure Lower Anchors and Tethers for CHild Seat (LATCH) . **Dual-Stage, Multiple-Threshold Front Airbags** . (SRS) **Next-Generation Passenger Front Airbag** Front Side Airbags





= Included. — = Not Available. A = Dealer Installed Accessory

= Included, — = Not Available, A = Dealer Installed Accessory							
SAFETY & DRIVER ASSISTIVE TECHNOLOGY (CONTINUED)	MDX	Technology	A-Spec	Advance	A-Spec Advance	Type S Advance	
Side Curtain Airbags	•	•	•	•	•	•	
Front Knee Airbags	•	•	•	•	•	•	
Head-Up Warning Display (HUW)	_	_	_	•	•	•	
Multi-View Rear Camera with Dynamic Guidelines <sup>33</sup>	•	•	•	•	•	•	
Vehicle Stability Assist™ (VSA®) with Traction Control¹0	•	•	•	•	•	•	
1-Wheel Anti-Lock Braking System (ABS)	•	•	•	•	•	•	
Electronic Brake Distribution (EBD)	•	•	•	•	•	•	
Brake Assist	•	•	•	•	•	•	
Fire Pressure Monitoring System (TPMS) with Tire Fill Assist and Location and Pressure Indicators	•	•	•	•	•	•	
Theft-Deterrent System with Electronic Immobilizer	•	•	•	•	•	•	
Maintenance Minder™ System	•	•	•	•	•	•	
Acura Maintenance Program 1yr / 12k miles	•	•	•	•	•	•	
DRIVER CONVENIENCE							
Hill Start Assist	•	•	•	•	•	•	
Electric Parking Brake with Automatic Brake Hold	•	•	•	•	•	•	
Cruise Control	•	•	•	•	•	•	
Rear Camera Washer	•	•	•	•	•	•	
Surround-View Camera System		<u>·</u>	<u>·</u>	•	•	•	
Auto-On/Off Headlight Operation with Wiper Compatibility	•	•	•	•	•	•	
Rain-Sensing Windshield Wipers	_	•	•	•	•	•	
Heated Side Mirrors with Reverse Gear Tilt-Down	•	•	•	•	•	•	
Automatic Dimming Frameless Rearview Mirror	•	•	•	•	•	•	
HomeLink®	•	•	•	•	•	•	
CabinTalk®	•	•	•	•	•	•	
	•	•	•	•	•	•	
Compass AUDIO & CONNECTIVITY	· ·	·	•	·	•	<u> </u>	
2.3-Inch HD Dual-Content Touchscreen Center							
Display	•	•	•	•	•	•	
2.3-Inch HD Precision Cockpit™ Digital nstrument Cluster	•	•	•	•	•	•	
0.5-Inch Head-Up Display (HUD)				•	•	•	
Key Fob Activated Remote Engine Start with /ehicle Feedback	Α	•	•	•	•	•	
Ni-Fi Hotspot Capability <sup>64</sup>	•	•	•	•	•	•	
AcuraLink® Connected Services <sup>40</sup>	•	•	•	•	•	•	
AcuraLink® Security & Remote Services (3yrs)40	•	•	•	•	•	•	
Natural Language Voice Recognition	•	•	•	•	•	•	
Wireless Apple CarPlay® Compatibility <sup>49</sup>	•	•	•	•	•	•	
Nireless Android Auto™ Compatibility <sup>50</sup>	•	•	•	•	•	•	
Alexa Built-In <sup>81</sup>	•	•	•	•	•	•	
Google Built-In <sup>89</sup> (includes 3-years Unlimited Data plan for in-vehicle apps)	•	•	•	•	•	•	
Bluetooth® HandsFreeLink® Wireless Telephone nterface <sup>9</sup>	•	•	•	•	•	•	
Bluetooth® Streaming Audio	•	•	•	•	•	•	
Acura Premium Audio System with 11 Speakers	•	_	_	_	_	_	
Bang & Olufsen Premium Sound System with 9 Speakers	_	•	•	•	•	_	
Bang & Olufsen Premium Sound System with	_	_	_	_	_	•	
HD Radio®58	•	•	•	•	•	•	
JSB Audio Interface with Charging Port, Center Console 2.5A (1) <sup>7</sup>	•	•	•	•	•	•	
Charging Ports, 1st-Row USB-A 2.5A (1), USB-C 3.0A (1)	•	•	•	•	•	•	
Charging Ports, 2nd-Row: USB-C 3.0A (2) Charging Ports, 3rd-Row: USB-C 3.0A, USB-A	•	•	•	•	•	•	
2.5A (2)	_		_	•	•	•	
Speed-Sensitive Volume Compensation (SVC)	•	•	•	•	•	•	
Nireless Charging Pad (Qi) <sup>93</sup>	•	•	•	•	•	•	
2-Volt Power Outlet (front and 2nd-row)	•	•	•	•	•	•	
12-Volt Power Outlet (cargo)	•	•	•	•	•	•	



• = Included, — = Not Available, A = Dealer Installed Accessory

NTERIOR	MDX	Technology	A-Spec	Advance	A-Spec Advance	Type S Advance
ri-Zone Automatic Climate Control with Humidity Control and Air Filtration	•	•	•	•	•	•
PS-Linked Climate Control		•	•	•	•	•
eyless Access System with Acura Personalized ettings	•	•	•	•	•	•
ushbutton Ignition	•	•	•	•	•	•
lectronic Gear Selector	•	•	•	•	•	•
ower Windows with Auto-Up/Down, Auto- leverse, Soft Close	•	•	•	•	•	•
port Seats with Leatherette-Trimmed Interior	•					
port Seats with Perforated Milano Premium eather-Trimmed Interior with Contrast Stitching	_	•	_	_	_	_
port Seats with Perforated Milano Premium eather and Ultrasuede® with Contrast Stitching nd Piping	_	_	•	-	_	-
Sport Seats with Quilted and Perforated filano Premium Leather with Contrast Stitching and Piping	_	_	_	•	•	_
Sport Seats with Quilted and Perforated Milano Premium Leather and Ultrasuede® with Contrast Stitching and Piping	_	_	-	-	_	•
ront 12-Way Power Seats with Power Lumbar Support	•	•	•	_	_	•
Front 16-Way Power Seats with Power Lumbar, Thigh Extension, Side Bolsters & 9-Way Massage Function	_	_	_	•	•	•
leated Front Seats	•	•	•	•	•	•
/entilated Front Seats	_	_	•	•	•	•
hree-Position Driver Seat Memory	•	•	•	•	•	•
hree-Position Front Passenger Seat Memory	_	•	•	•	•	•
eated Rear Seats (outboard positions)	_	_	_	•	•	•
nd-Row 4-Way Manual Seats	•	•	•	•	•	•
lulti-function 2nd-Row with Removable Middle eat	•	•	•	•	•	•
nd-Row Side Sunshades (manual)	_	•	•	•	•	•
rd-Row Access with One-Touch Smart lide Walk-In	•	•	•	•	•	•
rd-Row Seats with 50/50 Split	•	•	•	•	•	•
ower Tilt and Telescopic Steering Column	•	•	•	•	•	•
eather-Wrapped Steering Wheel	•	•		•	•	
eather-Wrapped, Flat-bottom Sport Steering Vheel	_	_	•	_	•	•
leated Steering Wheel	A	A	A	•	•	•
teering Wheel-Mounted Controls	•	•	•	•	•	•
lidden Cargo Storage with Reversible Smart Lid	•	•	•	•	•	•
A-Spec Interior Sport Appearance Package			•		•	
ype S Interior Sport Appearance Package						•
bony Headliner			•		•	•
Stainless Steel Sport Pedals	_	_	•		•	•
Active Sound Control	•	•	•	•	•	•
.ED Task Light - Front Ceiling/Inner Glove Box/ nner Console Box	•	•	•	•	•	•
Ambient LED Cabin Lighting - Door Handle, 1st- Row Foot Well conic Drive™ Ambient LED Cabin Lighting (27	•	_	_	_	_	
Color Themes)- Door Accent (upper, door handle), st-Row Foot Well	_	•	•	-	_	•
conic Drive™ Ambient LED Cabin Lighting (27 color Themes)- Door Accent (upper and lower, loor handle), 1st-Row foot well, Instrument Panel, onsole & door pocket.	_	_	-	•		•
Retained Accessory Power for Windows and						
Moonroof  NTERIOR TRIM	•	•	•	•	•	•
Silver Brushed Aluminum	Ebony, Parchment	Ebony, Parchment,	_	_		_
Bronze Brushed Aluminum	— Ebony, Parchinent	Graystone Espresso				
Geometric Patterned Brushed Aluminum	_		Ebony, Red	_	Ebony, Red, Orchid	_
Oark Authentic Open-Pore Wood	_	_	_	Ebony, Parchment	• • •	
ight Authentic Open-Pore Wood	_	_	_	Graystone		_
Black Silver Authentic Open-Pore Wood	_	_	_	_		Ebony, Red, Orchid Azurite Blue



• = Included, — = Not Available, A = Dealer Installed Accessory

EXTERIOR	MDX	Technology	A-Spec	Advance	A-Spec Advance	Type S Advance
Panoramic Moonroof with Tilt and Slide Function	•	•	•	•	•	•
Jewel Eye® LED Headlights	•	•	•	•	•	•
Chicane™ LED Daytime Running Lights	•	•	•	•	•	•
LED Fog Lights	А	A	•	•	•	•
Chicane™ LED Taillights	•	•	•	•	•	•
LED Side Mirror-Integrated Directional Signals	•	•	•	•	•	•
LED Outer Door Handle Lights	_	_	_	•	•	•
Smart Entry with Walk Away Auto Lock® (front door and tailgate)	•	_	_	_	_	_
Smart Entry with Walk Away Auto Lock® (all doors and tailgate)	_	•	•	•	•	•
A-Spec Exterior Sport Appearance Package	_	_	•	_	•	_
Type S Exterior Sport Appearance Package	_	_	_	_	_	•
Power-Folding Side Mirrors	_	•	•	•	•	•
Acoustic Laminate Windshield and Front Side Glass	•	•	•	•	•	•
Remote-Operated Windows and Moonroof-Open Function	•	•	•	•	•	•
Power Lift Tailgate	•	_	_	_	_	•
Power Lift Tailgate with Hands Free Access and Walk Away Close	_	•	•	•	•	•
Roof Rails	Α	A	А	•	•	•
Capless Fuel Fill	•	•	•	•	•	•

## SPECIFICATIONS AND FEATURES

## **DISCLAIMERS**

- 7. The USB interface is used for playback of MP3, WMA or AAC music files from digital audio players and other USB devices, as well as smartphone data transfer on designated Smartphone/Audio Interface ports. Some USB devices and files may not work. Please see your Acura dealer for details.
- 9. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks is under license.
- 10. VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
- 16. The systems are not a substitute for your own visual assessment before changing lanes or backing up, and may not detect all objects, or provide complete information about conditions, behind or to the side of the vehicle. System accuracy will vary based on weather, size of object, and speed. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 30. Based on SAE J1100 cargo volume measurement standard plus, where applicable, floor space between seating rows and seats in their forward-most and upright position.
- 33. Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle.
- 34. Adaptive Cruise Control (ACC) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. The driver remains responsible for avoiding a collision.
- 36. FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 37. LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 38. LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 39. CMBS with FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed, and other factors. System operation affected by extreme interior heat. FCW does not apply braking, and CMBS only is designed to mitigate crash forces. Depending on the circumstances, CMBS may not go through all the alert stages before initiating the last stage of collision mitigation. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 40. Select AcuraLink features are complimentary. 36-month complimentary trials are available for Security, Remote, and Concierge packages. A subscription is required to continue AcuraLink services after the trial ends.
- 49. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy for details regarding Apple's use and handling of data uploaded by CarPlay. Use of CarPlay is at user's own risk, and is subject to agreement to the CarPlay terms of use, which are included as part of the Apple iOS terms of use. CarPlay vehicle integration is provided "as is," and Acura cannot guarantee CarPlay operability or functionality now or in the future due to, among other conditions, changes in CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details.
- 50. Android and Android Auto are trademarks of Google LLC. Wireless use of Android Auto requires a compatible Android 11.0+ phone and compatible active data plan. Check g.co/android auto/requirements for compatibility.
- 51. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see the Owner's Manual for details.
- 58. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
- 64. Requires AT&T data plan. Learn more about available data plans here: [https://myvehicle.att.com/#/acura/learn?country=US&language=en] Coverage and service not available everywhere. Fees, terms and restrictions apply.
- 65. As rated by the California Air Resources Board (CARB).
- 67. TSR cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for complying with all traffic regulations.
- 72. ACC with Low-Speed Follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed, and and other factors. System operation affected by extreme interior heat. ACC should not be used in heavy traffic, poor weather, or on winding roads. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 81. Amazon, Alexa and all related marks are trademarks of Amazon.com, Inc. or its affiliates. Certain Alexa functionality is dependent on smart home technology.
- 92. Brembo is a registered trademark of Brembo S.p.A. Brembo's product names are either trademarks or registered trademarks of Brembo.
- 93. Acura wireless phone charger is compatible with Qi wireless charging standards. Check with your device's manufacturer for wireless capability.
- 98. Based on 2025 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary, depending on how you drive and maintain your vehicle, driving conditions, battery-pack age/condition (hybrid only) and other factors.