

RDX 2026 SPECIFICATIONS AND FEATURES

* = Included

	RDX	TECHNOLOGY	A-SPEC	ADVANCE	A-SPEC ADVANCE
ENGINE					
Engine Type	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder	DOHC turbocharged 4-cylinder
Displacement (liters)	2.0	2.0	2.0	2.0	2.0
Horsepower @ rpm (SAE net)	272 @ 6500	272 @ 6500	272 @ 6500	272 @ 6500	272 @ 6500
Torque (lb-ft @ rpm) (SAE net)	280 @ 1600–4500	280 @ 1600–4500	280 @ 1600–4500	280 @ 1600–4500	280 @ 1600–4500
Compression Ratio	9.8:1	9.8:1	9.8:1	9.8:1	9.8:1
Valvetrain	16-valve VTEC®	16-valve VTEC®	16-valve VTEC®	16-valve VTEC®	16-valve VTEC®
Fuel Delivery	Direct Injection (DI)	Direct Injection (DI)	Direct Injection (DI)	Direct Injection (DI)	Direct Injection (DI)
Throttle Control	Drive-by-Wire™ throttle system	Drive-by-Wire™ throttle system	Drive-by-Wire™ throttle system	Drive-by-Wire™ throttle system	Drive-by-Wire™ throttle system
Idle Stop	•	•	•	•	•
CARB Emissions Rating ³²	Tier3, Bin 50 (Fed)/ULEV 50 (CA)	Tier3, Bin 50 (Fed)/ULEV 50 (CA)	Tier3, Bin 50 (Fed)/ULEV 50 (CA)	Tier3, Bin 50 (Fed)/ULEV 50 (CA)	Tier3, Bin 50 (Fed)/ULEV 50 (CA)
Tune-Up Interval ³	100K +/- miles no scheduled tune-ups	100K +/- miles no scheduled tune-ups	100K +/- miles no scheduled tune-ups	100K +/- miles no scheduled tune-ups	100K +/- miles no scheduled tune-ups
DRIVETRAIN AND TRANSMISSION					
Super Handling All-Wheel Drive™ (SH-AWD®)	•	•	•	•	•
10-Speed Automatic Transmission with Electronic Gear Selector	•	•	•	•	•
Sequential SportShift Paddle Shifters	•	•	•	•	•
Integrated Dynamics System (IDS)	•	•	•	•	•
Gear Ratios (:1)					
1st	5.25	5.25	5.25	5.25	5.25
2nd	3.27	3.27	3.27	3.27	3.27
3rd	2.19	2.19	2.19	2.19	2.19
4th	1.60	1.60	1.60	1.60	1.60
5th	1.30	1.30	1.30	1.30	1.30
6th	1.00	1.00	1.00	1.00	1.00
7th	0.78	0.78	0.78	0.78	0.78
8th	0.65	0.65	0.65	0.65	0.65
9th	0.58	0.58	0.58	0.58	0.58
10th	0.52	0.52	0.52	0.52	0.52
Reverse	3.97	3.97	3.97	3.97	3.97
Final Drive	4.17	4.17	4.17	4.17	4.17
SUSPENSION AND STEERING					
MacPherson Strut Front Suspension	•	•	•	•	•
Multi-Link Rear Suspension	•	•	•	•	•
Stabilizer Bar Diameter – Front/Rear	30/23	30/23	30/23	30/23	30/23
Amplitude-Reactive Dampers	•	•	•	•	•
Adaptive Damper System	•	•	•	•	•
Dual Pinion, Variable Ratio Electric Power Steering (EPS)	•	•	•	•	•
Steering Ratio	12.0:1	12.0:1	12.0:1	12.0:1	12.0:1
Turning Diameter – curb-to-curb (ft.)	38.9	38.9	38.9	38.9	38.9
BRAKES					
4-Wheel Ventilated Front Disc/Solid Rear Disc Brakes (in.)	12.4/12.2	12.4/12.2	12.4/12.2	12.4/12.2	12.4/12.2
Hill Start Assist	•	•	•	•	•
Agile Handling Assist® ⁴⁶	•	•	•	•	•
4-Wheel Anti-Lock Braking System (ABS)	•	•	•	•	•
Electronic Brake Distribution (EBD)	•	•	•	•	•
Brake Assist	•	•	•	•	•
Electric Parking Brake with Automatic Brake Hold	•	•	•	•	•
WHEELS AND TIRES					
19 x 8.0 Berlina Black Aluminum-Alloy	•	•	•	•	•
19 x 8.0 Shark Gray Machine-Finished Aluminum-Alloy		•			
20 x 8.0 Shark Gray Aluminum-Alloy			•		
19 x 8.0 Machine-Finished Berlina Black Aluminum-Alloy				•	
20 x 8.0 Machine-Finished Berlina Black Aluminum-Alloy					•
235/55 R19 High-Performance All-Season Tires	•	•	•	•	•
255/45 R20 High-Performance All-Season Tires			•		•
Tire Sealant and Repair Kit			•		•
Spare Tire	•	•		•	

RDX 2026 SPECIFICATIONS AND FEATURES

* = Included

	RDX	TECHNOLOGY	A-SPEC	ADVANCE	A-SPEC ADVANCE
EXTERIOR DIMENSIONS (in.)					
Wheelbase	108.3	108.3	108.3	108.3	108.3
Track – Front/Rear	64.2/64.7	64.2/64.7	64.2/64.7	64.2/64.7	64.2/64.7
Length	187.4	187.4	187.4	187.4	187.4
Width	74.8	74.8	74.8	74.8	74.8
Height	65.7	65.7	65.7	65.7	65.7
Ground Clearance – Unladen	8.2	8.2	8.2	8.2	8.2
INTERIOR DIMENSIONS (in.)					
Headroom – Front/Rear	40.0/38.0	40.0/38.0	40.0/38.0	40.0/38.0	40.0/38.0
Shoulder Room – Front/Rear	60.0/57.0	60.0/57.0	60.0/57.0	60.0/57.0	60.0/57.0
Hiproom – Front/Rear	55.0/50.0	55.0/50.0	55.0/50.0	55.0/50.0	55.0/50.0
Legroom – Front/Rear	42.0/38.0	42.0/38.0	42.0/38.0	42.0/38.0	42.0/38.0
CAPACITIES					
EPA Passenger Volume (cu. ft.)	104.0	104.0	104.0	104.0	104.0
EPA Cargo Volume Behind Second Row (cu. ft.)	29.5* (31.1**)	29.5* (31.1**)	29.5* (31.1**)	29.5* (31.1**)	29.5* (31.1**)
Cargo Volume Behind First Row (cu. ft.)	58.9* (79.8**)	58.9* (79.8**)	58.9* (79.8**)	58.9* (79.8**)	58.9* (79.8**)
Towing Capacity (lb.)	1500	1500	1500	1500	1500
Fuel Tank Capacity (U.S. gal.)	17.1	17.1	17.1	17.1	17.1
* Based on SAE J1100 cargo volume measurement standard. ** Based on SAE J1100 cargo volume measurement standard plus underfloor storage. This figure compares more accurately with most competitive measurements.					
CURB WEIGHT/DISTRIBUTION					
Curb Weight (lb.)	4014	4040	4024	4040	4058
Weight Distribution (% – Front/Rear)	57/43	57/43	58/42	57/43	58/42
EPA Fuel Economy Ratings (City/Highway/Combined)⁶³					
10-Speed Automatic Transmission	21/27/23	21/27/23	21/26/23	21/27/23	21/26/23
Recommended Fuel	Premium Unleaded 91 Octane	Premium Unleaded 91 Octane	Premium Unleaded 91 Octane	Premium Unleaded 91 Octane	Premium Unleaded 91 Octane
WARRANTY					
Basic	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile
Powertrain	6-year/70,000-mile	6-year/70,000-mile	6-year/70,000-mile	6-year/70,000-mile	6-year/70,000-mile
Corrosion	5-year/unlimited	5-year/unlimited	5-year/unlimited	5-year/unlimited	5-year/unlimited
Acura Genuine Accessories ¹³	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile
Acura Total Luxury Care® (TLC®) with Roadside Assistance	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile	4-year/50,000-mile
EXTERIOR FEATURES					
Jewel Eye® LED Headlights	•	•	•	•	•
Auto-On/Off Headlight Operation with Wiper Integration	•	•	•	•	•
Auto High-Beam	•	•	•	•	•
LED Fog Lights			•	•	•
LED Puddle Lights				•	•
LED-Illuminated Dragon Tail Taillights, Brakelights, Side Mirror-Integrated Directional Signals, Rear License and Center High Mount Stop Light	•	•	•	•	•
Smart Entry with Walk Away Auto Lock® (Front Door and Tailgate)	•	•	•	•	•
Smart Entry with Walk Away Auto Lock® (All Doors and Tailgate)		•	•	•	•
Panoramic Roof with Tilt and Slide Function	•	•	•	•	•
Acoustic Glass Windshield	•	•	•	•	•
Acoustic Front Side Glass		•		•	•
Acoustic Rear Side Glass				•	•
Capless Fuel Fill	•	•	•	•	•
Remote-Linked Power-Operated Tailgate	•	•	•	•	•
Power Lift Tailgate with Hands Free Access				•	•
Rain-Sensing Windshield Wipers				•	•
Heated Side Mirrors with Reverse Gear Tilt-Down	•	•	•	•	•
Remote-Operated Windows and Moonroof-Open Function	•	•	•	•	•
Rear Camera Washer		•	•	•	•

RDX 2026 SPECIFICATIONS AND FEATURES

• = Included

	RDX	TECHNOLOGY	A-SPEC	ADVANCE	A-SPEC ADVANCE
SEATING AND INTERIOR TRIM FEATURES					
12-Way Power Front Seats including Power Lumbar Support	•	•			
16-Way Power Front Seats including Power Lumbar Support, Power Thigh Extension and Power Bolster Support				•	•
Easy Fold-Down 60/40 Split Rear Seatbacks	•	•			
Heated Front Seats	•				
Heated and Ventilated Front Seats			•	•	•
Heated Rear Seats (Outboard Positions)				•	•
Sport Seats with Leatherette-Trimmed Interior	•	•			
Sport Seats with Perforated Milano Premium Leather-Trimmed Interior with Contrast Stitching		•			
Sport Seats with Perforated Milano Premium Leather and Ultrasuede® with Contrast Stitching and Piping			•		
Sport Seats with Perforated Milano Premium Leather-Trimmed Interior with Contrast Stitching and Piping				•	•
Leather-Wrapped Steering Wheel	•	•			
Leather-Wrapped, Flat-bottom Sport Steering Wheel			•		•
COMFORT AND CONVENIENCE FEATURES					
Dual-Zone Automatic Climate Control with Humidity Control and Air Filtration	•	•	•	•	•
GPS-Linked Climate Control ¹⁸	•	•	•	•	•
Tilt and Telescopic Steering Column	•	•	•	•	•
Steering Wheel-Mounted Controls	•	•	•	•	•
Heated Steering Wheel				•	•
Keyless Access System with Acura Personalized Settings	•	•	•	•	•
Pushbutton Ignition	•	•	•	•	•
Key Fob Activated Remote Engine Start with Vehicle Feedback				•	•
One-Touch Turn Signals	•	•	•	•	•
Power Windows with Auto-Up/Down and Auto-Reverse	•	•	•	•	•
Smart Entry with Walk Away Auto Lock (Front Doors and Tailgate)	•				
Smart Entry with Walk Away Auto Lock (All Doors and Tailgate)		•	•	•	•
Retained Accessory Power for Windows and Moonroof	•	•	•	•	•
Automatic Dimming Frameless Rearview Mirror	•	•	•	•	•
HomeLink ^{®47}	•	•	•	•	•
Compass	•	•	•	•	•
Active Sound Control	•	•	•	•	•
Ambient Cabin Lighting	•	•	•	•	•
Iconic Drive™ Ambient LED Cabin Lighting	•	•	•	•	•
12-Volt Power Outlets (Front Center Console)	•	•	•	•	•
12-Volt Power Outlet (Cargo Area)				•	•
USB-A 2.5A Audio Interface Front Seat	•	•	•	•	•
USB-C Charge Port (1) 3.0A Charge Front Seat	•	•	•	•	•
USB-C Charge Ports (2) 3.0A Charge Rear Seat	•	•	•	•	•
7-Inch Color Multi-Information Display (MID)	•	•	•	•	•
10.5-Inch Head-Up Display (HUD)				•	•
Multi-View Rear Camera ³³ with Dynamic Guidelines	•	•	•	•	•
Surround View Camera ⁵⁹ System				•	•
Maintenance Minder™ System	•	•	•	•	•
AUDIO FEATURES					
Acura Premium Audio System with 9 Speakers	•	•	•	•	•
Acura/ELS Studio ^{®20} Premium Audio System with 12 Speakers		•			
Acura/ELS Studio [®] 3D ²⁰ Premium Audio System with 16 Speakers			•	•	•
SiriusXM® Satellite Radio ⁴	•	•	•	•	•
USB Audio Interface ⁷	•	•	•	•	•
Bluetooth® Streaming Audio ⁹	•	•	•	•	•
Speed-Sensitive Volume Compensation (SVC)	•	•	•	•	•

RDX 2026 SPECIFICATIONS AND FEATURES

* = Included

	RDX	TECHNOLOGY	A-SPEC	ADVANCE	A-SPEC ADVANCE
MEDIA AND CONNECTIVITY FEATURES					
Acura Navigation System ¹⁸ with 3D View	*	*	*	*	*
AcuraLink [®] Connected Services ⁴²	*	*	*	*	*
Bluetooth [®] HandsFreeLink [®] Wireless Telephone Interface ⁹	*	*	*	*	*
True Touchpad Interface TM	*	*	*	*	*
10.2-Inch HD Dual-Content Center Display	*	*	*	*	*
Wireless Apple CarPlay [®] ⁴⁹ and Android Auto TM ⁵⁰ Compatibility	*	*	*	*	*
Alexa Built-In	*	*	*	*	*
Wireless Charging Pad	*	*	*	*	*
Wi-Fi Hotspot Capability	*	*	*	*	*
ACURA WATCHTM FEATURES					
Collision Mitigation Braking System TM (CMBS TM) ³⁹	*	*	*	*	*
Road Departure Mitigation System ⁵²	*	*	*	*	*
Lane Departure Warning (LDW) System ³⁷	*	*	*	*	*
Forward Collision Warning (FCW) System ³⁶	*	*	*	*	*
Adaptive Cruise Control (ACC) with Low-Speed Follow ⁷²	*	*	*	*	*
Lane Keeping Assist System (LKAS) ³⁸	*	*	*	*	*
Traffic Sign Recognition ⁶⁷	*	*	*	*	*
Blind Spot Information System (BSI)	*	*	*	*	*
Rear Cross Traffic Monitor ³³	*	*	*	*	*
Pedestrian Detection	*	*	*	*	*
Auto High-Beam Headlights	*	*	*	*	*
Low-Speed Autonomous Emergency Braking (AEB) ⁶⁹	*	*	*	*	*
Parking Sensors (4 Front & 4 Rear)	*	*	*	*	*
SAFETY AND DRIVER-ASSISTIVE FEATURES					
Advanced Compatibility Engineering TM (ACE TM)	*	*	*	*	*
Body Structure	*	*	*	*	*
Dual-Stage, Multiple-Threshold Front Airbags (SRS)	*	*	*	*	*
Front Side Airbags ²⁶	*	*	*	*	*
Side Curtain Airbags ²⁶	*	*	*	*	*
Front Knee Airbags ²⁶	*	*	*	*	*
Vehicle Stability Assist TM (VSA [®]) ¹⁰ with Traction Control	*	*	*	*	*
Lower Anchors and Tethers for Child Seat (LATCH)	*	*	*	*	*
Tire Pressure Monitoring System (TPMS) ⁵¹ with Tire Fill Assist and Location and Pressure Indicators	*	*	*	*	*
Theft-Deterrent System with Electronic Immobilizer	*	*	*	*	*

DISCLAIMERS

3. Does not apply to fluid and filter changes or periodic inspections. Please refer to the maintenance section of your Owner's Manual to determine all appropriate maintenance intervals.
4. SiriusXM Satellite Radio, NavTraffic subscriptions sold separately or as a package after trial period. If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call 1-866-635-2349 to cancel. See SiriusXM Customer Agreement for complete terms at siriusxm.com. Other fees and taxes will apply. All fees and programming subject to change. Not all vehicles are capable of receiving all services offered by SiriusXM. Current information and features may not be available in all locations, or on all receivers. SiriusXM is not responsible for any errors or inaccuracies in the NavTraffic service or their use in the vehicle. XM satellite service is available only to those at least 18 years of age in the 48 contiguous USA and DC. SiriusXM Internet Radio service is available throughout our satellite service area and in AK, HI and PR. © 2024 Sirius XM Radio Inc. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.
7. The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB devices with security software and digital rights-protected files may not work. Please see your local Acura dealer for details on compatibility.
9. The *Bluetooth®* word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license.
10. VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
13. When installed at the time of new-vehicle delivery.
16. The system is not a substitute for your own visual assessment before changing lanes; system accuracy will vary based on weather, size of object and speed.
18. Acura Navigation System and related features are available in the 48 contiguous United States, Hawaii and Puerto Rico. Some models also include Alaska and Canada. See your local Acura dealer for information regarding navigation system area coverage.
20. ELS Studio® is a registered trademark of Panasonic Corporation of North America. All rights reserved.
22. AcuraLink Real-Time Traffic™ is operable only in select markets within the 48 contiguous United States, as well as Vancouver, Toronto and Montreal. The service is available at no cost for three years after purchase whereupon it will continue to be available on a subscription basis.
26. Acura reminds you and your passengers to always buckle up. Children 12 and under are safest when properly restrained in the rear seat.
32. AT-PZEV (Advanced Technology Partial Zero-Emission Vehicle) models as certified by the California Air Resources Board (CARB) are available in California and states that have adopted California Zero-Emission Vehicle regulations. Models in non-CARB states are ULEV-2 (Ultra-Low-Emission Vehicle) certified by the California Air Resources Board (CARB).
33. Always visually confirm that it is safe to drive before backing up; the rear view camera display does not provide complete information about all conditions and objects at the rear of your vehicle.
36. FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
37. LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
38. LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
39. Depending on the circumstances, CMBS may not go through all of the alert stages before initiating the last stage of collision mitigation. CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by high interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
42. Connect and Assist features are not available on all models; these AcuraLink Packages are available on vehicles with Acura Navigation System. Live support and automatic request for emergency response services require a Connect or Premium subscription. See Packages & Pricing for details. If the vehicle is unable to make a cellular connection due to signal strength, location or other technical difficulty, Connect and Assist features will not function, and automatic request for emergency response services will not occur. Neither Acura nor affiliated service providers can control whether emergency personnel/first responders will respond to any request for emergency response services or do so in a timely manner.
46. The Agile Handling Assist system cannot enhance stability in all driving situations. You still need to drive and corner at speeds appropriate for the conditions and always leave a sufficient margin of safety.
47. HomeLink and the HomeLink house are registered trademarks of Johnson Controls®.
48. Always remain attentive when driving. Certain functions are disabled or inoperable while the vehicle is in motion. Only operate the system when conditions permit you to safely do so. Avoid focusing on the device display or manually operating the system controls while driving. State or local laws may prohibit the operation of handheld electronic devices while operating a vehicle. iPhone and Siri are trademarks of Apple Inc.
49. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy for details regarding Apple's use and handling of data uploaded by CarPlay. Use of CarPlay is at user's own risk, and is subject to agreement to the CarPlay terms of use, which are included as part of the Apple iOS terms of use. CarPlay vehicle integration is provided "as is," and Acura cannot guarantee CarPlay operability or functionality now or in the future due to, among other conditions, changes in CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details.

RDX 2026 SPECIFICATIONS AND FEATURES

50. To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is," and Acura cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Only use Android Auto when conditions allow you to do so safely. Google, Google Play and Android Auto are trademarks of Google LLC.
51. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see the Owner's Manual for details.
52. Road Departure Mitigation only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lane position and/or brake pressure to slow the vehicle's departure from a detected lane. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
59. Surround View Camera is only intended to supplement driver's direct visual confirmation of the vehicle environment; system does not provide complete information about conditions around the vehicle. Driver remains responsible for safely operating the vehicle and avoiding collisions.
63. Based on 2026 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary depending on how you drive and maintain your vehicle, driving conditions, battery-pack age/condition (hybrid only) and other factors.
67. TSR cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for complying with all traffic regulations.
68. When you use Amazon Alexa Auto in your Acura vehicle, Amazon will receive, use and retain information about you and your vehicle to help provide more relevant results. This may include your location, Alexa Auto interactions and information about your vehicle type, features, status and network connectivity. Before using Alexa Auto, please review Amazon's Alexa Terms of Use and the Privacy Notice for your region.
69. Low-Speed Braking Control may not detect all objects in front of or behind the vehicle. Accuracy will vary based on weather, speed and other factors. Driver remains responsible for safely operating vehicle and avoiding collisions.
72. ACC with Low-Speed Follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed, and other factors. System operation affected by extreme interior heat. ACC should not be used in heavy traffic, poor weather, or on winding roads. Driver remains responsible for safely operating vehicle and avoiding collisions.